



4A0-103^{Q&As}

Alcatel-Lucent Multiprotocol Label Switching

Pass Alcatel-Lucent 4A0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click on the exhibit.

```
configure router policy-options
begin
prefix-list "reject"
prefix 192.168.1.0/24 longer
exit
policy-statement "LDP_export"
entry 10
from
prefix-list "reject"
exit
action reject
exit
entry 20
from
protocol direct
exit
action accept
exit
exit
exit
commit
```

This policy is applied as an LDP export policy. In addition to the FECs learned from its neighbors, which FECs now appear in the router's LIB?

- A. Local FECs not included in the 192.168.1.0/24 address space and the system IP FEC.
- B. Only the system IP FEC appears in the LIB.
- C. Any local FECs, except those with a 24-bit mask.
- D. Local FECs in the 192.168.1.0/24 address space.

Correct Answer: A

QUESTION 2

If an LSP needs to use an admin group, which of the following configurations is NOT required on the Alcatel-Lucent 7750 SR?

- A. Assign an admin group to a MPLS interface.
- B. Configure CSPF on the LSP.
- C. Configure at least one strict hop on the LSP path.
- D. Configure an "include" or "exclude" statement on the LSP path.

Correct Answer: C



QUESTION 3

Which of the following about MPLS fast reroute is TRUE?

- A. Fast reroute is used when redundant links are not available.
- B. Fast reroute provides path protection close to the failure point.
- C. Fast reroute provides fast failure detection to the head-end router.
- D. Fast reroute protects both primary and secondary paths.

Correct Answer: B

QUESTION 4

Which of the following fields does NOT appear in the MPLS label header?

- A. Label
- B. Frame check sequence
- C. Traffic Class (previously called Experimental)
- D. Time To live
- E. Bottom of stack bit

Correct Answer: B

QUESTION 5

Which of the following reservation styles can be used to prevent both the primary and secondary paths from booking resources on a common link?

- A. Fixed filter
- B. Shared explicit
- C. Standby explicit LSP
- D. Preemptive filter
- E. Link capacity filter

Correct Answer: B