



4A0-103^{Q&As}

Alcatel-Lucent Multiprotocol Label Switching

Pass Alcatel-Lucent 4A0-103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Assume that, on the Alcatel-Lucent 7750 SR, an LSP is configured with one-to-one FRR and node protection. Which of the following statements are FALSE? (Choose two)

- A. Each PLR signals a detour LSP that avoids the downstream node. If the downstream node cannot be avoided, a detour LSP that avoids the downstream link is signaled.
- B. The detour LSP can take one or more hops before merging back on the protected LSP.
- C. The merge point of the protected LSP must be the next-next-hop node
- D. The ingress router will set the local protection desired flag in the session attribute object of the path message to inform all routers along the protected LSP path to establish detour LSPs.
- E. The label recording desired flag must be set in the session attribute object in order for the PLR to know what label to swap when using the detour LSP.

Correct Answer: CE

QUESTION 2

Which of the following is NOT an advantage of RSVP-TE compared to LDP?

- A. RSVP-TE supports Connection Admission Control (CAC).
- B. RSVP-TE enables simplified configuration of LSPs.
- C. RSVP-TE supports path calculations that do not use IGP cost.
- D. RSVP-TE provides support for traffic protection features.

Correct Answer: B

QUESTION 3

Which of the following devices assumes the active role during the establishment of an LDP session?

- A. The peer with the higher physical address.
- B. The peer with the higher transport address.
- C. The peer with the lower physical address.
- D. The peer with the lower transport address.
- E. The peer that generated the first Hello message.

Correct Answer: B



QUESTION 4


Consider a device that uses per-platform label space; which of the following fields is NOT contained in the LFIB?

- A. Incoming label
- B. Outgoing label
- C. Incoming interface
- D. Outgoing interface

Correct Answer: C

QUESTION 5

Click on the exhibit button below. Assume the following: -The protected path is R1-R2-R3-R6.



-Fast reroute one-to-one protection is enabled.

If the original LSP already has two labels, and router R2 has failed, how many labels will there be in packets on the detour path?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: B



VCE & PDF

GeekCert.com

<https://www.geekcert.com/4a0-103.html>

2024 Latest geekcert 4A0-103 PDF and VCE dumps Download

[Latest 4A0-103 Dumps](#)

[4A0-103 Study Guide](#)

[4A0-103 Exam Questions](#)