



4A0-104^{Q&As}

Alcatel-Lucent Services Architecture

Pass Alcatel-Lucent 4A0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-104.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

VPWS allows carriers to offer services such as point-to-point frame-relay, ATM, and Ethernet on a single platform without the need for multiple overlay networks.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2

Which of the following about route distinguishers on the Nokia 7750 SR is TRUE?

- A. Route distinguishers are used to ensure that VPRN IP prefixes are globally unique.
- B. Route distinguishers are appended to IPv4 prefixes to form IPv6 prefixes.
- C. Route distinguishers are used to determine which routes a VPRN should import.
- D. CE routes use a route distinguisher to indicate which VPRN they are associated to.

Correct Answer: A

QUESTION 3


Which of the following statements is TRUE concerning route distinguishers on the Nokia 7750 SR?

- A. Route distinguishers are 12 bytes in length
- B. Route distinguishers are appended to IPv4 prefixes to form 16 byte VPN-IPv4 prefixes.
- C. Route distinguishers are used to determine which routes a VPRN should import.
- D. CE routes must be configured with the proper route distinguishers for the VPRN they are associated to
- E. All of the above statements are true.
- F. All of the above statements are false.

Correct Answer: F

QUESTION 4

Click on the exhibit button below.



Which of the following is the correct configuration for an MP-BGP session on 6VPE1?



A. PE1>config>router>bgp#info

```
-----
group "multi-bgp"
family vpn-ipv6
neighbor 10.10.10.2/32
local-address 10.10.10.1
peer-as 64496
exit
exit
```

B. PE1>config>router>bgp#info

```
-----
group "multi-bgp"
family ipv6 vpn-ipv4
neighbor 10.10.10.2
local-address 10.10.10.1
peer-as 64496
exit
exit
```

C. PE1>config>router>bgp#info

```
-----
group "multi-bgp"
family vpn-ipv6
neighbor 10.10.10.2
local-address 10.10.10.1
peer-as 64496
exit
exit
```

D. PE1>config>router>bgp#info

```
-----
group "multi-bgp"
family ipv6 vpn-ipv6
neighbor 10.10.10.2/32
local-address 10.10.10.1
peer-as 64496
exit
exit
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

QUESTION 5

Which of the following SAP encapsulations support multiple services on a port? (Choose three.)



- A. dot1q
- B. null
- C. qinq
- D. atm
- E. ipcp
- F. bcp-null

Correct Answer: ACD

[4A0-104 PDF Dumps](#)

[4A0-104 VCE Dumps](#)

[4A0-104 Study Guide](#)