



4A0-105^{Q&As}

Alcatel-Lucent Virtual Private LAN Services

Pass Alcatel-Lucent 4A0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click on the exhibit below.



Study the diagram shown. What consideration should be given to the transport tunnel of SDP 300?

- A. The SDP must be configured to use GRE encapsulation.
- B. The SDP must follow the same path as the user's SDP.
- C. The SDP should be configured to use an RSVP signaled transport with fast reroute.
- D. The SDP must be the same as the user's SDP.

Correct Answer: C

QUESTION 2

Fill in the blank for this next sentence. Flooded traffic received on any _____ in the service is replicated to other spoke SDPs and SAPs and not transmitted on any mesh SDPs.

- A. Spoke SDP
- B. Mesh SDP
- C. Either (a) or (b) will make this sentence true.
- D. Neither (a) nor (b) will make this sentence true.



Correct Answer: B

QUESTION 3


Which of the following is NOT a feature of the IEEE 802.3ah EFM standard?

- A. Discovery and auto-negotiation of OAM capabilities.
- B. Link monitoring via event notifications.
- C. Remote failure indication (RFI).
- D. Remote Loopback
- E. Latency and jitter across a service.

Correct Answer: E

QUESTION 4

Click on the exhibit below.



CE-A is on VLAN 200 and CE-B is on VLAN 300. Which of the following SAP ids can be configured on PEA and PE-B to allow direct communication between CE-A and CE-B?

- A. PE-A will require a SAP id of "sap 1/1/1:200" and PE-B will require a SAP id of "sap 1/1/1:300".
- B. PE-A will require a SAP id of "sap 1/1/1" and PE-B will require a SAP id of "sap 1/1/1".
- C. PE-A will require a SAP id of "sap 1/1/1:0" and PE-B will require a SAP id of "sap 1/1/1:0".
- D. PE-A will require a SAP id of "sap 1/1/1:*" and PE-B will require a SAP id of "sap 1/1/1:*".

Correct Answer: A

QUESTION 5

A router has just learned the 10th MAC address while the FDB size is also set to 10. What is the likely outcome?



- A. The frame is dropped.
- B. The frame is always flooded
- C. The frame is forwarded and MAC learning is automatically disabled.
- D. The frame is discarded if the destination is unknown.
- E. More information is required to determine the fate of this new frame.

Correct Answer: C

[Latest 4A0-105 Dumps](#)

[4A0-105 Study Guide](#)

[4A0-105 Braindumps](#)