



4A0-106^{Q&As}

Alcatel-Lucent Virtual Private Routed Networks

Pass Alcatel-Lucent 4A0-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the exhibit.



```
PE2>config>router>policy-options# info
-----
policy-statement "export-to-CE"
  entry 10
    from
      protocol bgp-vpn
    exit
    action accept
    exit
  exit
  entry 20
    from
      protocol aggregate
    exit
    action accept
    exit
  exit
exit
```

```
PE2>config>service>vprn# bgp group "toCE2" neighbor 10.2.5.5 export "export-to-CE"
```

```
PE2# config>service>vprn# aggregate 172.0.0.0/16 summary-only as-set
```

Based on the VPRN aggregate route configuration, which routes are advertised to CE2?

- A. 172.12.10.0/24, 172.12.20.0/24 and 172.0.0.0/16
- B. 172.12.0.0/16 only
- C. 172.12.10.0/24 and 172.12.20.0/24
- D. 172.0.0.0/16 only

Correct Answer: C

QUESTION 2



In the output from an Alcatel-Lucent 7750 SR shown below, what does the highlighted text represent?


```
A:PE-1# show router bgp routes
=====
BGP Router ID : 10.10.10.10      AS : 65100   Local AS : 65100
=====
Legend -
Status codes  : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes  : i - IGP, e - EGP, ? - incomplete, > - best
=====
BGP Routes
=====
Flag  Network                Nexthop      LocalPref  MED
     VPN Label                As-Path
-----
u*>? 65100:10:10.1.2.0/24
     131071                    10.10.10.50  100        none
     No As-Path
u*>? 65100:10:10.10.10.78/32
     131071                    10.10.10.50  100        none
     No As-Path
u*>i 65100:10:10.32.1.0/24
     131071                    10.10.10.50  100        none
     No As-Path
```

- A. The LDP identifier
- B. The Service identifier
- C. The Route Target
- D. The Route Distinguisher
- E. The tunnel label

Correct Answer: D

QUESTION 3

Which of the following statements about Inter-AS model VPRN is TRUE?




- A. MP-iBGP is used between PE1 and ASBR1 to exchange VPN-IPv4 routes.
- B. eBGP is used between ASBR1 and ASBR2 to exchange IPv4 routes.
- C. MP-eBGP is used between PE1 and PE2 to exchange VPN-IPv4 routes.
- D. MP-eBGP is used between ASBR1 and ASBR2 to exchange labeled IPv4 routes.

Correct Answer: D

QUESTION 4

Click the exhibit.



```
vprn 20 customer 20 create
description "Green_VPN"
autonomous-system 65530
route-distinguisher 65530:20
vrf-target target:65530:20
```

An extranet VPRN is configured on Alcatel-Lucent 7750 SRs. On which router(s) should the displayed configuration be applied?

- A. Router R1
- B. Router R2
- C. Routers R1 and R2
- D. Router R3
- E. Router R4

Correct Answer: B

QUESTION 5

Which of the following statements best describes the output from an Alcatel-Lucent 7750 SR shown below?

- A. This is the base routing table from CE-1
- B. This is the base routing table from PE-1
- C. This is the customer vrf from CE-1



D. This is the customer vrf from PE-1D.This is the customer vrf from PE-1

E. This is the customer vrf from PE-2E.This is the customer vrf from PE-2E.This is the customer vrf from PE-2

F. This is the base routing table from PE-2F.This is the base routing table from PE-2F.This is the base routing table from PE-2

G. This is the base routing table from CE-2G.This is the base routing table from CE-2G.This is the base routing table from CE-2

Correct Answer: B

[4A0-106 Practice Test](#)

[4A0-106 Study Guide](#)

[4A0-106 Exam Questions](#)