



4A0-106^{Q&As}

Alcatel-Lucent Virtual Private Routed Networks

Pass Alcatel-Lucent 4A0-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click the exhibit.




A Carrier Supporting Carrier (CSC) VPRN is configured for a customer carrier who is a BGP/MPLS service provider. Which of the following describes the routes present in PE1's global routing table?

- A. The system address of PE2 is present. The system addresses of CSC-PE1 and CSC-PE2 are not present.
- B. The system addresses of PE2, CSC-PE1 and CSC-PE2 are all present.
- C. The system address of CSC-CE1, the route 192.168.10.1, and the route 192.168.20.1 are all present.
- D. The system address of PE2 and the route 192.168.20.1 are present.

Correct Answer: A

QUESTION 2

Click the exhibit.



Routers RR1 and RR2 are configured as route reflectors. For the inter-AS model C VPRN, which of the following about the BGP sessions established between the routers is TRUE?

- A. ASBR2 has a total of three BGP sessions established: one with PE2, one with RR2, and one with ASBR1.



- B. RR1 has a total of three BGP sessions established: one with PE1, one with RR2, and one with ASBR1.
- C. PE2 has a total of two BGP sessions established: one with RR2 and one with ASBR2.
- D. PE1 has a total of two BGP sessions established: one with RR1 and one with PE2.

Correct Answer: B

QUESTION 3

Click the exhibit.

```
A:CE-1# show router bgp routes
```

=====				
BGP Router ID : 10.10.10.76		AS : 65200	Local AS : 65200	
=====				
Legend -				
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid				
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best				
=====				
BGP Routes				
=====				
Flag	Network VPN Label	Nexthop As-Path	LocalPref	MED

u*>?	10.1.2.0/24	10.16.1.1 65100 65100	none	none
u*>?	10.10.10.78/32	10.16.1.1 65100 65100	none	none
u*>i	10.32.1.0/24	10.16.1.1 65100	none	none

Assuming that the as-override command is used, what is the most likely location of prefix 10.1.2.0/24?

- A. The prefix is located in an Autonomous System directly connected to this router.
- B. There is a single Autonomous System between the local AS and the AS that originated the prefix.
- C. There are two Autonomous Systems between the local AS and the AS that originated the prefix.
- D. The prefix is located in Autonomous System 65100.

Correct Answer: B

QUESTION 4

When using the AS-override method to prevent BGP loops in VPRNs, where should the "as-override" CLI command be configured?



- A. On the PE facing the CE neighbor
- B. On the CE facing the PE neighbor
- C. On the P facing the PE neighbor
- D. On the PE facing the PE neighbor

Correct Answer: A

QUESTION 5

Choose the best answer to describe the result of the configuration of an Alcatel-Lucent 7750 SR shown below?

- A. The PE will install a maximum of 40 prefixes into the customer vrf and generate a log message when 40 routes are received
- B. The PE will install a maximum of 40 prefixes into the customer vrf, and generate a log message both when 30 and 41 routes are received
- C. The PE will install a maximum of 40 prefixes into the customer vrf, generate a log message when 10 routes are received and disable learning of new routes at 41
- D. The PE will install a maximum of 40 prefixes into the customer vrf, generate a log message when 10 routes are received and drop the connection at 41
- E. The PE will install a maximum of 40 prefixes into the customer vrf, generate a log message when 4 routes are received and disable learning of new routes at 41

Correct Answer: E

[Latest 4A0-106 Dumps](#)

[4A0-106 Study Guide](#)

[4A0-106 Braindumps](#)