



4A0-107^{Q&As}

Alcatel-Lucent Quality of Service

Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following is an example of something that CAN be done with hierarchical policing (CFHP) but CANNOT be done with standalone policers?

- A. Limiting the maximum forwarding rate of each individual policer and, at the same time, marking packets as in-profile or out-of-profile.
- B. Putting packets in a buffer as they are received, and marking packets as in-profile or out-of-profile as they are removed from the buffer.
- C. Rate-limiting the collective output of several policers, and to reallocate bandwidth that is not utilized by some policers to other policers that need to use it.
- D. Rate-limiting the collective output of several policers towards each egress FFPC, while maintaining control of the maximum overall forwarding rate.

Correct Answer: A

QUESTION 2

What is an SLA? (Choose two)

- A. An SLA is used to provide automated, real-time testing and alarming for throughput, latency, and jitter across a provider's network.
- B. An SLA is an agreement between a customer and a provider that dictates the treatment of customer traffic across the provider's network.
- C. An SLA allows customers to control all traffic within the service provider's network by prioritizing their traffic over others as desired.
- D. An SLA allows a customer to pre-mark traffic and ensure that traffic is treated as per the agreement within the provider's network.
- E. An SLA is a standard set of network QoS policies that a provider shares to all its customers, allowing them to better understand the treatment of traffic within the provider's network.

Correct Answer: BD

QUESTION 3

Which of the following statements is a characteristic of a CFHP arbiter?

- A. An arbiter can adjust the CIR of its child policers.
- B. An arbiter rate-limits the collective output of several policers towards each egress FFPC.
- C. An arbiter can adjust the bandwidth assigned to its child arbiters and child policers.
- D. An arbiter does not need to honor the configurations of its child policers.



Correct Answer: C

QUESTION 4

Individual application streams are considered microflows, whereas _____ are considered macroflows.

- A. SAPs
- B. SDPs
- C. Services
- D. Queues
- E. Schedulers
- F. Forwarding classes

Correct Answer: F

QUESTION 5

With hierarchical scheduling, up to _____ tiers are supported on the Nokia 7750 SR.

- A. 8
- B. 3
- C. 4
- D. 5
- E. 6

Correct Answer: B

[4A0-107 PDF Dumps](#)

[4A0-107 Exam Questions](#)

[4A0-107 Braindumps](#)