



4A0-107^{Q&As}

Alcatel-Lucent Quality of Service

Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-107.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A default network policy is applied to all router interfaces associated with network ports.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 2


In which of the following scenarios is the egress port scheduler useful? (Choose two)

- A. A customer is complaining that his VoIP traffic is being dropped even though it is sending the correct DSCP markings. Packets are not being dropped on ingress.
- B. A customer is complaining that his VoIP traffic is being dropped even though it is sending the correct DSCP markings. Packets are being dropped on ingress.
- C. A commercial builder has requested numerous dot1Q epipes, VPRNs, and VPLS services to a business park and is only paying up to a maximum 200Mbps.
- D. An equipment manufacturer has requested a NULL epipe service that will transparently pass dot1Q between the new location and national headquarters.

Correct Answer: AC

QUESTION 3

Click the exhibit button below.



```
qos sap-ingress 5 create
    dot1p 3 fc "ef"
    dscp nc1 fc "nc"
ip-criteria
    entry 10 create
        match protocol tcp
        dst-port gt 20
    exit
    action fc "l2"
exit
entry 20 create
    match protocol tcp
    dst-ip
        120.110.1.1/32
    dst-port eq 23
    exit
    action fc "h1"
exit
exit
default-fc "h2"
```

```
vpls 25 customer 1 create
    stp
    shutdown
exit
sap 1/1/5 create
    ingress
        qos 5
    exit
exit
no shutdown
exit
```

Based on the configuration shown below, name the forwarding class to be associated with a TCP packet encapsulated inside an Ethernet frame that arrives on SAP 1/1/5 with the following characteristics: Destination IP address = 120.110.1.1 TCP port number = 23 DSCP value = nc1 Dot1pvalue = 3

- A. H2
- B. NC
- C. L2
- D. EF
- E. H1
- F. BE



Correct Answer: C

QUESTION 4

Which of the following are characteristics of 802.1p? (Choose two)

- A. 802.1p adds 16 bits to the Layer 2 header,
- B. 802.1p adds 16 bits to the Layer 3 header.
- C. 802.1p specifies 64 different priority levels.
- D. 802.1p uses a field in the 802.1Q header.
- E. 802.1p uses a field in the Layer 3 IP header
- F. 802.1p defines a 3-bit Class of Service field.

Correct Answer: DF

QUESTION 5

Which of the following statements about the consequences of congestion is TRUE?

- A. Negative jitter results in a smaller than expected interval between transmitted packets.
- B. Jitter does not have any effect on the quality of video applications.
- C. Serialization delay is not affected by congestion.
- D. Queuing delay is a fixed form of delay in networks.

Correct Answer: A

[4A0-107 PDF Dumps](#)

[4A0-107 Practice Test](#)

[4A0-107 Study Guide](#)