



# 4A0-107<sup>Q&As</sup>

Alcatel-Lucent Quality of Service

## Pass Alcatel-Lucent 4A0-107 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-107.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which of the following parameters are used in a hierarchical scheduler-policy to specify the priority of the child scheduler/queue for allocating bandwidth beyond its committed rate? (Choose two)

- A. CIR
- B. CIR level
- C. CIR weight
- D. Rate
- E. Level
- F. Weight

Correct Answer: EF

---

### QUESTION 2

What is the maximum number of forwarding subclasses a forwarding class can have?

- A. 3
- B. 64
- C. 72
- D. 16
- E. 56

Correct Answer: E

---

### QUESTION 3

Which of the following statements are TRUE regarding the remarking of packets arriving on the network interface whose ToS-marking-state is set to trusted and remarking enabled on network egress? (Choose two)

- A. Native IP Packets will not be remarked.
- B. Native IP Packets will be remarked.
- C. Packets associated with a VPRN service on an upstream node will not be remarked.
- D. Packets associated with an ES service on an upstream node will be remarked.

Correct Answer: BD

---



#### QUESTION 4

Which of the following entities can scheduler policies be applied to? (Choose two)

- A. Network ingress port
- B. Epipe ingress SAP
- C. ES egress SAP
- D. Ingress MDA
- E. VPRN ingress interface
- F. Shared buffer space

Correct Answer: BC

---

#### QUESTION 5

Which of the following statements about the token buckets of a policer is TRUE?

- A. When a packet arrives, the PIR bucket depth is checked and the packet is discarded if this bucket is full.
- B. The CIR bucket of a policer is the reserved portion of its PIR bucket.
- C. The CIR bucket of a policer has two thresholds: CBS and HPO.
- D. Packets processed by the PIR bucket at an average rate above PIR will be forwarded as out-of-profile.

Correct Answer: A

[4A0-107 Study Guide](#)

[4A0-107 Exam Questions](#)

[4A0-107 Braindumps](#)