



4A0-M02^{Q&As}

Alcatel-Lucent Mobile Gateways for the LTE Evolved Packet Core

Pass Alcatel-Lucent 4A0-M02 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-m02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

During a UE detach procedure, which commands are exchanged over the gx interface?

- A. Delete Session Request / Delete Session Answer
- B. Credit Control Request Terminate/Credit Control Answer Terminate
- C. Release Session Request / Release Session Answer
- D. Credit Control Request Release / Credit Control Answer Release

Correct Answer: B

QUESTION 2

Which of the following statements are FALSE regarding the SGW? (Choose two)

- A. The SGW is connected to the E-UTRAN via the S1-u interface.
- B. At a given time, a single SGW handles all the connections for a given UE.
- C. The SGW provides downlink data buffering and paging for an idle UE.
- D. The SGW can connect to only one PGW.
- E. The SGW acts as a common anchor point during handovers between LTE and Release 8 UMTS networks.
- F. The SGW may provide data plane connectivity between two eNodeBs.

Correct Answer: CD

QUESTION 3

Which of the following most accurately describes the QCI / ARP?

- A. The QCI has 9 classes and the ARP has 15 levels.
- B. A default QCI/ARP policy is predefined on the Alcatel-Lucent 7750 MG and cannot be modified.
- C. Each EPS bearer is associated with one QCI value.
- D. All of the above answers are correct.
- E. Only answers A and B are correct.

Correct Answer: D

QUESTION 4



Based on the information shown in the exhibit, which of the following is the time interval used by the SGW to send out an "Echo Request" message over the GTP interface?

```
*A:SGW# show mobile-gateway profile gtp default
```

```
=====
```

```
GTP profile
```

```
=====
```

Profile name	: default		
Description	: N/A		
Msg retransmit timeout	: 5 secs	Msg retransmit retry count	: 3
Keep alive timeout	: 60 secs	Keep alive retry count	: 3
Keep alive T3 response	: 3 secs		
IP TTL	: 255	IP DSCP	: 56

```
-----
```

```
Number of profiles : 1
```

```
=====
```

- A. 3 seconds
- B. 5 seconds
- C. 6 seconds
- D. 60 seconds
- E. 90 seconds

Correct Answer: D

QUESTION 5

In an LTE network, which of the following is used to carry the GTP message "Create Session Request"?

- A. The GTPv1 protocol.
- B. The GTPv2 protocol.
- C. Both the GTPv1 and the GTPv2 protocols.
- D. Either the GTFV1 protocol or the GTPv2 protocol.
- E. None of the above answers are correct.

Correct Answer: B

[Latest 4A0-M02 Dumps](#)

[4A0-M02 PDF Dumps](#)

[4A0-M02 Practice Test](#)