

## 4A0-M02<sup>Q&As</sup>

Alcatel-Lucent Mobile Gateways for the LTE Evolved Packet Core

# Pass Alcatel-Lucent 4A0-M02 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/4a0-m02.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.geekcert.com/4a0-m02.html 2024 Latest geekcert 4A0-M02 PDF and VCE dumps Download

#### **QUESTION 1**

On Alcatel-Lucent 7750 PGW, which of the following statements is FALSE regarding the debugging of a given IMSI?

- A. The output may be filtered per bearer.
- B. The APN value must be specified in the debug command.
- C. A log must be created to view the debug output.
- D. The output may be filtered per APN and per reference point.
- E. None of the above statements are false.

Correct Answer: D

#### **QUESTION 2**

Which of the following statements are FALSE regarding the SDF templates / filters? (Choose two)

- A. One dedicated bearer can have more than one SDF template.
- B. One SDF template can have only one SDF filter for each direction.
- C. One dedicated bearer can have more than one SDF template and multiple SDF filters.
- D. One dedicated bearer can have only one SDF template.
- E. One SDF template can have multiple SDF filters for each direction.

Correct Answer: BD

#### **QUESTION 3**

Which of the following interfaces is not using the GTP-U protocol?

- A. The X2 interface
- B. The S1-U interface
- C. The S4 interface
- D. The S5 interface
- E. The SGi interface

Correct Answer: E

## QUESTION 4



### https://www.geekcert.com/4a0-m02.html

2024 Latest geekcert 4A0-M02 PDF and VCE dumps Download

Which of the following statements most accurately describes the EPS bearers?

- A. A UE can have only one default bearer.
- B. A UE may have more than one dedicated bearer.
- C. Each EPS bearer may provide different QoS treatment for its traffic.
- D. EPS bearers that connect a given UE to a single APN use different IP subnets.
- E. Only answers A, B and C are correct.
- F. Only answers B and C are correct.

Correct Answer: F

#### **QUESTION 5**

Which of the following statements is FALSE regarding the SGW?

- A. A UE may be served by more than one SGW at a given time.
- B. The SGW is connected to the E-UTRAN via the S1-u interface.
- C. The SGW may provide data plane connectivity between two eNodeBs.
- D. The SGW connects to the PGW via the S5/S8 interface.
- E. The SGW acts as a common anchor point during handovers between LTE and Release 8 UMTS networks.

Correct Answer: A

4A0-M02 PDF Dumps

4A0-M02 Study Guide

4A0-M02 Braindumps