



4A0-M02^{Q&As}

Alcatel-Lucent Mobile Gateways for the LTE Evolved Packet Core

Pass Alcatel-Lucent 4A0-M02 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-m02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How many S11 GTP-C tunnels are established for a UE having:

-

One default bearer to APN1, and

-

One dedicated bearer to APN1, and

-

One default bearer to APN2, and

-

Two dedicated bearers to APN2?

A.

One

B.

Two

C.

Three

D.

Four

E.

Five

Correct Answer: A

QUESTION 2

Based on the information shown in the exhibit, which of the following statements is FALSE?



```
<measInfo measInfoId="KCIBearerManagementCP-ISA">
  <granPeriod duration="PT1800S" endTime="2011-10-06T14:30:00-04:00"/>
  <measType p="1">VS.numberofUsers</measType>
  <measType p="2">VS.numberofIdleUsers</measType>
  <measType p="3">VS.numberofActiveUsers</measType>
  <measType p="4">VS.numberofBearers</measType>
  <measType p="5">VS.numberofActiveBearers</measType>
  <measType p="6">VS.numberofIdleBearers</measType>
  <measType p="7">VS.numberofPdnSessions</measType>
  <measType p="8">VS.numberofDedicatedBearers</measType>
  <measType p="9">VS.numberofIpv4PdnSessions</measType>
  <measType p="10">VS.numberofIpv6PdnSessions</measType>
  <measType p="11">VS.numberofIpv4v6PdnSessions</measType>
  <measType p="12">VS.numberofRoamers</measType>
  <measType p="13">VS.numberofHomers</measType>
  <measType p="14">VS.numberofVisitors</measType>
  <measType p="15">VS.numberofPagingRequestInProgress</measType>
  <measValue measObjLdn="KCI=BearerManagement,GroupName=CP-ISA,group=1,
    slot=5,nda=1">
```

```
<... Continued ...>
  <r p="1">312</r>
  <r p="2">10</r>
  <r p="3">302</r>
  <r p="4">319</r>
  <r p="5">307</r>
  <r p="6">12</r>
  <r p="7">312</r>
  <r p="8">7</r>
  <r p="9">312</r>
  <r p="10">0</r>
  <r p="11">0</r>
  <r p="12">0</r>
  <r p="13">312</r>
  <r p="14">0</r>
  <r p="15">0</r>
  <suspect>>false</suspect>
</measValue>
</measInfo>
```

- A. The collection interval is set to 30 minutes.
- B. The number of active bearers at the end of this interval is 307
- C. The stats are collected from MG-ISM card 5.
- D. The number of idle users at the end of this interval is 10
- E. None of the above statements are false.

Correct Answer: E

QUESTION 3

Which of the following statements is FALSE regarding the S1-based handover?

- A. The SGW may be relocated.
- B. The MME may be relocated.
- C. Direct data forwarding via the X2 interface may be used.
- D. Indirect data forwarding via the SGW may be used.
- E. None of the above statements are false.

Correct Answer: E



QUESTION 4

Assume that dynamic PCC rules are used on the PGW. When an AF server initiates the establishment of a dedicated bearer for a UE, which of the following messages are exchanged between the PCRF and the PCEF?

- A. The RAR/RAA messages
- B. The CSR/CSResp messages
- C. The CCR/CCA messages.
- D. The CSR/CSResp and the CCR/CCA messages
- E. The CSR/CSResp and the RAR/RAA messages.

Correct Answer: A

QUESTION 5

Which of the following statements is FALSE regarding Key Performance Indicator/Key Capacity Indicator (KPI/KCI)?

- A. KPI /KCI counters are supported on both Alcatel-Lucent 7750 SGW and 7750 PGW.
- B. The cf:\mob-gw-stats directory contains the current records.
- C. The cf:\mob-gw directory contains all closed records.
- D. KPI/KCI counters are used to debug real-time issues on the mobile gateway.
- E. An XML file is created and stored in the CPM\'s flash card.
- F. None of the above statements are false.

Correct Answer: D

[4A0-M02 VCE Dumps](#)

[4A0-M02 Practice Test](#)

[4A0-M02 Study Guide](#)