



4A0-C01^{Q&As}

Nokia NRS II Composite Exam

Pass Nokia 4A0-C01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-c01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How many service labels must be signaled to bring up a fully-meshed VPLS among three PE routers?

- A. 1
- B. 3
- C. 6
- D. 12

Correct Answer: C

QUESTION 2

What best describes the type of packets used by OSPF routers to exchange updates on a point-to-point link?

- A. IP packets sent to an IP multicast address.
- B. Ethernet frames sent to an Ethernet multicast address.
- C. IP packets sent to an IP unicast address.
- D. UDP packets sent to an IP multicast address.

Correct Answer: A

QUESTION 3


Which of the following statements are TRUE about configuring a SDP between an IES and a VPLS? (Choose 2)

- A. The SDP must be a mesh
- B. The SDP must be a spoke.
- C. Once the SDP is configured on both PE routers, both the services will be operationally up without further configuration changes.
- D. The Layer 2 MTUs must match between the IES and the VPLS
- E. The Layer 2 MTU must be 14 bytes smaller on the VPLS than it is on the IES.

Correct Answer: BD

QUESTION 4

In the topology shown, router R1 is an ASBR configured to export external routes to OSPF. Assuming that there are no stub or NSSA networks, which of the following statements regarding LSAs is true?



- A. Only router R1 will generate Type 4 LSAs.
- B. Only router R3 will generate Type 4 LSAs.
- C. Routers R3 and R6 will generate Type 4 LSAs.
- D. Routers R1, R3 and R6 will generate Type 4 LSAs.

Correct Answer: C

QUESTION 5

Which tree in the CLI would you need to be in to add a QoS policy to a SAP?

- A. config>router#
- B. config>qos#
- C. config>port#
- D. config>service#

Correct Answer: D