



4A0-C04^{Q&As}

Nokia NRS II Composite Exam: OSPF version

Pass Nokia 4A0-C04 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-c04.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

If an LSP needs to use an admin group, which of the following configurations is NOT required on the Nokia 7750 SR?

- A. Assign an admin group to a MPLS interface.
- B. Configure CSPF on the LSP.
- C. Configure at least one strict hop on the LSP path.
- D. Configure an "include" or "exclude" statement on the LSP path.

Correct Answer: C

QUESTION 2

What are the types of networks supported on an Nokia 7750 SR for OSPF? (Choose 2)

- A. Broadcast
- B. Non-Broadcast Multi-Access
- C. Point-to-Point
- D. Point-to-Multipoint

Correct Answer: AC

QUESTION 3


On an Nokia 7750 SR, which vc-type will strip service delimiting tags at the ingress PE?

- A. vc-type ether
- B. vc-type vlan
- C. vc-type dot1q
- D. vc-type null

Correct Answer: A

QUESTION 4

Click the exhibit.



Assuming the network is IPv6 only, which of the following configurations on the Nokia 7750 SR router A can establish an IPv6 BGP session to router B?



- ☐ A.

```
router-id 10.10.10.1
group "IPv6_iBGP"
family ipv6
peer-as 65540
neighbor 2001:DB8:2::2
exit
exit
```
- ☐ B.

```
group "IPv6_iBGP"
family ipv6
type internal
peer-as 65540
neighbor 2001:DB8:2::2
exit
exit
```
- ☐ C.

```
group "IPv6_iBGP"
family ipv6
type internal
peer-as 65540
neighbor 2001:DB8:12::21
exit
exit
```
- ☐ D.

```
group "IPv6_iBGP"
family ipv6
type internal
neighbor 2001:DB8:2::2
exit
exit
```

A. Option A

B. Option B


C. Option C

D. Option D

Correct Answer: A

QUESTION 5

Click the exhibit.



Router R6 is a route reflector with clients R1, R2, R4 and R5. Router R4 receives three routes from router R6 and is configured with ECMP 3. Given the following BGP configuration on router R4, how many primary and backup paths will be present in router R4's BGP routing table?

```
R4>config>router>bgp# info
```

```
-----
multipath 2
add-paths
  ipv4 send 3 receive
exit
backup-path ipv4
group "IBGP"
  peer-as 65540
  neighbor 10.10.10.6
exit
exit
```

- A. Three primary paths,
- B. Two primary paths and one backup path.
- C. One primary path and two backup paths.
- D. One primary path and one backup path.

Correct Answer: B



VCE & PDF

GeekCert.com

<https://www.geekcert.com/4a0-c04.html>

2024 Latest geekcert 4A0-C04 PDF and VCE dumps Download

[Latest 4A0-C04 Dumps](#)

[4A0-C04 VCE Dumps](#)

[4A0-C04 Study Guide](#)