



4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


What network component(s) is/are shared in the gateway core network (GWCN) sharing architecture model?

- A. Only E-UTRAN is shared
- B. Only MME is shared
- C. E-UTRAN and MME are shared
- D. MME and PGW are shared

Correct Answer: B

QUESTION 2

Given the exhibit, which component initiated a mobile-terminated location request (MT-LR) procedure for external LCS client?



- A. MME
- B. GMLC
- C. E-SMLC



D. HSS

Correct Answer: D

Reference: https://www.google.com/url?sa=t&andrc=jandq=andesrc=sandsource=webandcd=andved=2ahUKEwiEuu_cmrnsAhXiD2MBHQUND3AQFjAAegQIBhACandurl=ftp%3A%2F%2Fwww.3gpp.org%2Fts_g_sa%2FWG5_TM%2FTSGS5_68%2F_specs_for_checking%2Fupgrade%2F32271-900.docandusg=AOvVaw1w-lpeUNE8VTNAgojrdFa4

QUESTION 3

Which of the following statements regarding SGW selection by the MME is FALSE?

- A. SGW selection can occur during initial attach, tracking area update, or handover procedures
- B. MME can select an SGW by performing a DNS query on a given TAI FQDN
- C. MME can select an SGW based on the overload control information received from each SGW in the SGW pool
- D. MME can select an SGW from the SGW pool(s) configured to serve the given TAI

Correct Answer: C

QUESTION 4

The DNS NAPTR records shown in the exhibit are returned to the MME during SGW/PGW selection.

If gateway selection mode 1 is used, which SGW/PGW pair is selected by the MME?

Order	Preference	Flags	Services	Replacement
200	800	"a"	x-3gpp-sgw:x-s11-gtp	topon.eth10.sgw01.pool1.nodes.3gppnetwork.org
300	500	"a"	x-3gpp-sgw:x-s11-gtp	topon.eth10.sgw02.pool2.nodes.3gppnetwork.org

Order	Preference	Flags	Services	Replacement
200	500	"a"	x-3gpp-pgw:x-s5-gtp	topon.eth5.pgw01.pool2.nodes.3gppnetwork.org
300	800	"a"	x-3gpp-pgw:x-s5-gtp	topon.eth6.pgw02.pool1.nodes.3gppnetwork.org

- A. sgw01 and pgw01
- B. sgw01 and pgw02
- C. sgw02 and pgw01
- D. sgw02 and pgw02

Correct Answer: B

QUESTION 5



Which of the following statements regarding an EPS dedicated bearer is FALSE?

- A. A dedicated bearer is any EPS bearer to a PDN that is already connected to the UE.
- B. A dedicated bearer can be either a GBR or non-GBR bearer.
- C. A dedicated bearer remains active as long as the UE is attached to EPS.
- D. A dedicated bearer uses the same IP address that was allocated for the associated default bearer.

Correct Answer: B

Reference: <https://www.mpirical.com/glossary/gbr-guaranteed-bit-rate>

[4A0-M03 PDF Dumps](#)

[4A0-M03 Exam Questions](#)

[4A0-M03 Braindumps](#)