



4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following messages are exchanged between the MME and the SGW during the dedicated bearer activation procedure?

- A. Attach Request / Attach Accept
- B. Create Bearer Request / Create Bearer Response
- C. Session Management Request / Session Management Response
- D. RA-Request / RA-Answer

Correct Answer: B

Reference: <https://www.sciencedirect.com/topics/engineering/dedicated-bearer>

QUESTION 2

Which of the following is NOT a characteristic of the home routed roaming architecture?

- A. Bearer traffic is routed from the SGW to the PGW over the S5 interface
- B. The UE bearers are anchored at the SGW to the VPLMN
- C. Subscriber services are obtained through the HPLMN
- D. The MME in the VPLMN has an S6a interface to the HSS in the HPLMN

Correct Answer: A

QUESTION 3

Which of the following statements regarding paging policy is FALSE?

- A. Paging method defines which forwarding path is used to forward the paging message to eNodeBs
- B. Paging policy defines paging procedures used by MME to page an idle UE
- C. Paging timer specifies the time to wait for a response to a paging request message
- D. Paging attempt specifies the number of times MME tries to page a UE before the UE is deemed non-responsive

Correct Answer: A

QUESTION 4

Which of the following statements regarding the SMC procedure is FALSE?



- A. SMC procedure must be completed successfully before AKA procedure starts.
- B. MME sends a security mode command message to the UE.
- C. UE responds with a security mode complete message.
- D. SMC procedure is used to provide NAS signaling security between the UE and the MME.

Correct Answer: A

QUESTION 5

Which of the following statements best describes a home PLMN?

- A. A network where a UE is currently registered and has a different PLMN ID from the UE's PLMN ID
- B. A provisioned network that is shared by multiple operators
- C. A network where a UE is currently being served
- D. A network where a UE is subscribed

Correct Answer: C

[4A0-M03 VCE Dumps](#)

[4A0-M03 Study Guide](#)

[4A0-M03 Exam Questions](#)