



4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the exhibit, which type of message is sent from the MME to the lawful enforcement monitoring facility (LEMF) for lawful interception support?



- A. Intercept request message
- B. Location request message
- C. Content of communication (CC) message
- D. Intercept related information (IRI) message

Correct Answer: C

QUESTION 2

Which of the following regarding PM is FALSE?

- A. PM counters contain system health information on a specific VM.
- B. PM counters are stored in XML format.
- C. PM counters are collected on a per-interval basis.
- D. A PM job is defined to collect PM counters.

Correct Answer: D

QUESTION 3



Which of the following messages are exchanged between the MME and the SGW during the dedicated bearer activation procedure?

- A. Attach Request / Attach Accept
- B. Create Bearer Request / Create Bearer Response
- C. Session Management Request / Session Management Response
- D. RA-Request / RA-Answer

Correct Answer: B

Reference: <https://www.sciencedirect.com/topics/engineering/dedicated-bearer>

QUESTION 4


If the selected SGW fails, which SGW/PGW will MME select if 'gateway selection mode 2' is used?

- A. A new SGW, but new PGW selection is not required
- B. A new SGW first, then select a new PGW that is topologically closest to the newly selected SGW
- C. A new SGW first, then select a new PGW with the best order and preference values
- D. The next topologically closest SGW/PGW pair

Correct Answer: A

QUESTION 5

Using the exhibit, if APN correction feature is enabled, which APN will be used when the UE attempts to access a service and specifies APN-4?



- A. APN-1
- B. APN-2



C. APN-3

D. APN-4

E. The procedure will be rejected

Correct Answer: B

[Latest 4A0-M03 Dumps](#)

[4A0-M03 Practice Test](#)

[4A0-M03 Exam Questions](#)