



4A0-M05^{Q&As}

Nokia Cloud Packet Core

Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-m05.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Based on the exhibit output, which of the following statements is TRUE?

```
=A:CMG2-Pod1# show vm-function
```

```
=====
```

```
VM Function Summary
```

```
=====
```

VM Id	Id	Provisioned Type Equiped Type (if different)	Admin State	Operational State
1	1	m20-v	up	up
	2	isa-ip-reas-v isa-ms-v	up	up
3	1	isa-mg-v isa-ms-v	up	up
	2	(not provisioned) isa-ms-v	up	unprovisioned

```
=====
```

- A. This CMG has one LB VM and one MG VM.
- B. This CMG has one LB VM and two MG VMs.
- C. This CMG has two LB VM and one MG VM.
- D. This CMG has two LB VM and two MG VMs.

Correct Answer: A

QUESTION 2

Which of the following about CMG CUPS architecture is FALSE?

- A. CMG user plane VNF implements the SGW-U, PGW-U, and GGSN-U functionalities
- B. A 7750 SR MG communicates with a CMG control plane VNF over Sx interface
- C. CMG control plane VNF can be deployed in LB-mode or LB-less mode
- D. CMG user plane VNF can be deployed in LB-mode or LB-less mode

Correct Answer: C

QUESTION 3



Which of the following best describes the function of CBAM in the Nokia CPC?

- A. Provides the EMS function for element management of individual CPC components.
- B. Provides the NFVO function to support the definition and management of end-to-end services.
- C. Provides the VNFM function to manage the life cycle of VNFs including deployment and scaling.
- D. Provides the VIM function to manage the compute and network resources required by VNFs.

Correct Answer: C

QUESTION 4

Which of the following statements regarding the CMM OAM network is FALSE?

- A. It is used for CMM management.
- B. It is connected to NECC VMs.
- C. It is connected to CPPS VMs.
- D. It requires a customer provided subnet address.

Correct Answer: B

QUESTION 5

Which of the following statements regarding the health check for a specific CMM VM is FALSE?

- A. It is performed by CMM periodically
- B. It can be manually executed using a CLI command "cmm_monitor"
- C. It can be executed by ssh to each individual CMM VM from the NECC VM
- D. If a failure occurs, additional details can be displayed using the verbos (-v) or very verbos (-vv) flag

Correct Answer: C

[4A0-M05 PDF Dumps](#)

[4A0-M05 Study Guide](#)

[4A0-M05 Exam Questions](#)