

4A0-M05^{Q&As}

Nokia Cloud Packet Core

Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/4a0-m05.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/4a0-m05.html 2024 Latest geekcert 4A0-M05 PDF and VCE dumps Download

QUESTION 1

Which of the following management tools performs the function of virtual infrastructure manager (VIM) in the CPC NFV architecture?

- A. NetAct
- B. CloudBand Infrastructure Software (CBIS)
- C. Operations Support System (OSS)
- D. Network Service Platform (NSP)

Correct Answer: B

QUESTION 2

Which of the following Nokia products is responsible for the configuration, fault, and performance management of CMM?

- A. Network services platform (NSP)
- B. CloudBand application manager (CBAM)
- C. CloudBand network director (CBND)
- D. NetAct

Correct Answer: A

QUESTION 3

Which of the following statements regarding CMM scaling is TRUE?

- A. DBS VMs can scale out in steps of a single VM.
- B. NECC VMs can scale out in steps of a single VM.
- C. CPPS VMs can scale out in steps of a single VM.
- D. IPDS VMs can scale out in steps of a single VM.

Correct Answer: C

QUESTION 4

What is the main benefit of splitting the core network into separate user-plane and control-plane nodes?

A. Independent configuration of user-plane and control-plane nodes



https://www.geekcert.com/4a0-m05.html 2024 Latest geekcert 4A0-M05 PDF and VCE dumps Download

- B. Independent scaling of user-plane and control-plane nodes
- C. User of a shared data repository for storing user states.
- D. Creation of networks with isolated properties over a common infrastructure

Correct Answer: B

QUESTION 5

Which of the following is correct about CMM system overall health check?

- A. The "fns_monitor" command is only available at the NECC VM.
- B. The "cmm_monitor" command is used to run the complete set of health checks for a specific CMM VM.
- C. The "cmm_monitor" command can be manually executed on any CMM VM.
- D. The "fns_monitor" and "cmm_monitor" commands require superuser privilege.

Correct Answer: D

4A0-M05 PDF Dumps

4A0-M05 VCE Dumps

4A0-M05 Exam Questions