



4A0-M10^{Q&As}

Nokia 5G Packet Core Architecture

Pass Nokia 4A0-M10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-m10.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In which of the following scenarios is the Service Request procedure performed?

- A. A deregistered UE needs to register with the network.
- B. A registered UE receives a paging request from the network.
- C. A registered UE needs to establish a new PDU session.
- D. A deregistered UE needs to connect to the network using non-3GPP access.

Correct Answer: C

QUESTION 2

Which of the following statements about the protection of service-based interfaces (SBIs) is FALSE?

- A. The transport layer security (TLS) performs certification-based authentication, providing connection security between network functions within a PLMN.
- B. The OAuth 2.0 framework is used to secure the communication between network functions within a PLMN at the network layer.
- C. The network domain security/Internet protocol (NDS/IP) provides confidentiality and data integrity between network functions within a PLMN.
- D. The security edge protection proxy (SEPP) handles the security of inter-domain SBIs and protects the interaction between network functions in different PLMNs.

Correct Answer: D

Reference: <https://www.broadforward.com/security-edge-protection-proxy/>

QUESTION 3

Which of the following statements regarding cloud RAN architecture is FALSE?

- A. The gNB is split into three functional modules: a radio unit (RU), a distributed unit (DU), and a centralized unit (CU).
- B. DU performs the non-real time processing of layer 2.
- C. The fronthaul segment connects RU to DU and the midhaul segment connects DU to CU.
- D. CU can be deployed in the cloud as a VNF.

Correct Answer: D

Reference: <https://www.5gtechnologyworld.com/open-ran-functional-splits-explained/>



QUESTION 4

A UE is handed off from gNB1 to gNB2 using an N2-based handover procedure. The source I-UPF is to be relocated and an indirect data forwarding path is to be used. Which of the following statements is TRUE?

- A. AMF decides that an indirect data forwarding path is required and sends an indication to SMF.
- B. gNB2 tunnel info is allocated for the indirect forwarding path and is included in the Handover Request Ack message sent to AMF.
- C. Target I-UPF tunnel info is allocated for the indirect forwarding path and is provided to the UPF PSA.
- D. UPF PSA tunnel info is allocated for the indirect forwarding path and is provided to the source I-UPF.

Correct Answer: A

QUESTION 5

Which of the following actions related to slicing is NOT performed during UE initial registration procedure?

- A. An AMF that supports the requested NSSAI is selected to serve the UE.
- B. AMF receives an AMF set from NSSF.
- C. AMF receives a list of SMFs which support the requested NSSAI from NRF.
- D. UE receives the allowed NSSAI from AMF.

Correct Answer: B

[4A0-M10 VCE Dumps](#)

[4A0-M10 Practice Test](#)

[4A0-M10 Study Guide](#)