

4A0-M10^{Q&As}

Nokia 5G Packet Core Architecture

Pass Nokia 4A0-M10 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/4a0-m10.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nokia Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

Which of the following best describes the function of a PDU session flow classifier?

- A. An SMF that dynamically inserts and removes uplink classifiers (UL CL) at the UPFs.
- B. An SMF that dynamically inserts and removes UL CL at the UE.
- C. A UPF that terminates the N6 interface towards the data network.
- D. A UPF that filters uplink traffic according to UL CL rules provided by the SMF.

Correct Answer: A

Reference: https://www.metaswitch.com/knowledge-center/reference/what-is-the-5g-user-plane-function-upf

QUESTION 2

Which of the following actions related to slicing is NOT performed during UE initial registration procedure?

- A. An AMF that supports the requested NSSAI is selected to serve the UE.
- B. AMF receives an AMF set from NSSF.
- C. AMF receives a list of SMFs which support the requested NSSAI from NRF.
- D. UE receives the allowed NSSAI from AMF.

Correct Answer: B

QUESTION 3

Which of the following statements regarding the 5G security components is FALSE?

A. The authentication credential repository and processing function (ARPF) selects the authentication method to use for the UE.

B. The authentication server function (AUSF) handles authentication requests for both 3GPP and non3GPP access.

- C. The security anchor function (SEAF) makes the final decision on UE authentication.
- D. The security identifier de-concealing function (SIDF) decrypts the UE\\'s SUCI to obtain its corresponding SUPI.

Correct Answer: D

Reference: https://www.etsi.org/deliver/etsi_ts/133500_133599/133501/15.02.00_60/ts_133501v150200p.pdf



QUESTION 4

Which of the following best describes a UE route selection policy (URSP)?

A. A URSP is a policy pre-configured in the UE. The UE uses this policy to select a non-3GPP access network and an N3IWF to use in the PLMN.

B. A URSP is a policy provisioned to AMF by PCF. The AMF uses this policy to select an SMF that can serve a given PDU session for the UE.

C. A URSP is a policy that can be pre-configured in the UE or provisioned to the UE by PCF. The UE uses this policy to determine how to handle a given application.

D. A URSP is a policy pre-configured on the SMF. The SMF uses this policy to select a UPF that can serve a given PDU session for the UE.

Correct Answer: C

Reference: https://itectec.com/spec/6-6-ue-policy-information/

QUESTION 5

Which of the following is an HTTP method used by an NF service consumer to create a new resource at an NF service producer when the resource URI is selected by the consumer?

A. POST

B. PUT

C. PATCH

D. UPDATE

Correct Answer: B

Reference: https://www.tech-invite.com/3m29/toc/tinv-3gpp-29-501_c.html

4A0-M10 VCE Dumps

4A0-M10 Practice Test

4A0-M10 Braindumps