



4A0-N01^{Q&As}

Nuage Networks Virtualized Cloud Services (VCS) Fundamentals

Pass Nokia 4A0-N01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-n01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is TRUE when comparing Virtual Machines and Containers?

- A. Virtual Machines are faster to boot.
- B. Containers do not need a CMS.
- C. All Virtual Machines on the same hypervisor must run the same guest OS.
- D. All Containers on the same host use the same OS kernel.

Correct Answer: D

Reference: <https://www.nuagenetworks.net/blog/more-on-docker/>

QUESTION 2

What statement about Open vSwitch is TRUE?

- A. It is a standard virtual switch that can run on any operating system.
- B. It can only be configured using Openflow by an SDN controller.
- C. It provides tunneling mechanisms, for example: VXLAN.
- D. It supports most of the open protocols, for example: OSPF, BGP.

Correct Answer: C

QUESTION 3

The ML2 plug-in is part of which OpenStack project?

- A. Neutron
- B. ironic
- C. Nova
- D. Heat

Correct Answer: A

Reference: <https://docs.openstack.org/mitaka/networking-guide/config-ml2.html>

QUESTION 4



What statement regarding Openflow sessions in data center networks is TRUE?

- A. By default, the Openflow session is established with TCP port 6633.
- B. Openflow sessions run between VSCs.
- C. Security is mandatory with SSL encryption.
- D. Openflow sessions can be established over either the data plane or the management plane.

Correct Answer: C

SSL (Secure Sockets Layer) is the standard security.

QUESTION 5

What statement is FALSE regarding the forwarding policies used in VCS for traffic redirection (also known as service chaining)?

- A. Forwarding policies can be applied to either ingress or egress traffic.
- B. Redirection targets should be created in advance and associated with vPorts.
- C. Redirection targets cannot be associated with host vPorts (physical appliances).
- D. A forwarding policy can be created in an active domain or be instantiated from a template.

Correct Answer: D

Reference:

<https://www.nuagenetworks.net/wp-content/uploads/2020/06/>

Nuage_Networks_Service_Chaining_Technical_Description_Document_EN-compressed.pdf

[Latest 4A0-N01 Dumps](#)

[4A0-N01 PDF Dumps](#)

[4A0-N01 Practice Test](#)