



# 4A0-N01<sup>Q&As</sup>

Nuage Networks Virtualized Cloud Services (VCS) Fundamentals

**Pass Nokia 4A0-N01 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-n01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What statement about virtual switches is FALSE?

- A. A virtual switch is typically implemented within the hypervisor so that the network is extended onto the server.
- B. Virtual switches are VLAN capable.
- C. Typically, virtual switches are as capable as physical switches, eg: LAG, hardware-based QoS.
- D. If a virtual switch is not on the hypervisor, all traffic will go out of the physical NIC.

Correct Answer: D

---

### QUESTION 2

What impact does server virtualization have on a traditional datacenter network?

- A. Traffic between the virtual machines must be carried in the overlay network, which is not supported by a traditional datacenter network.
- B. Server virtualization requires a hardware upgrade of the network devices (for example, TOR/EOR switch, leaf and spine routers) in a traditional datacenter network.
- C. Server virtualization requires a software upgrade of the network devices (for example, TOR/EOR switch, leaf and spine routers) in a traditional datacenter network.
- D. Traditional network configuration involves manual interaction, which cannot keep up with the dynamic reallocation of compute resources to virtual machines.

Correct Answer: C

---

### QUESTION 3

What statement regarding the VRS-G is FALSE?

- A. The VRS-G is the software VXLAN/VLAN gateway of the Nuage VCS solution.
- B. The VRS-G is deployed on a hypervisor, following the same deployment requirements as a regular VRS.
- C. Virtual machines created on the hypervisor are attached to access ports on VRS-G.
- D. The network ports on VRS-G point towards the Nuage overlay VXLAN network.

Correct Answer: B

This permits the bridging of the hypervisor-focused overlay networking and physical devices in the data center.

Reference: <https://jujucharms.com/nuage-vrsg/>



#### QUESTION 4

What statement is TRUE regarding the pull and push mode of CMS integration with Nuage Networks VCS?

- A. In the push model, VSD pushes the network configuration to CMS.
- B. In the pull model, VRS pull the network configuration from CMS.
- C. In the push model, CMS pushes the network configuration to VSC.
- D. In the pull model, CMS pulls the network configuration from VSD.

Correct Answer: C

Reference: <https://www.packetcoders.io/what-is-nuage-networks-vcs-virtualized-cloud-services/>

---

#### QUESTION 5

What statement regarding Openflow sessions in data center networks is TRUE?

- A. By default, the Openflow session is established with TCP port 6633.
- B. Openflow sessions run between VSCs.
- C. Security is mandatory with SSL encryption.
- D. Openflow sessions can be established over either the data plane or the management plane.

Correct Answer: C

SSL (Secure Sockets Layer) is the standard security.

[4A0-N01 VCE Dumps](#)

[4A0-N01 Practice Test](#)

[4A0-N01 Braindumps](#)