



# 4A0-N01<sup>Q&As</sup>

Nuage Networks Virtualized Cloud Services (VCS) Fundamentals

## Pass Nokia 4A0-N01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-n01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia  
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the diagram. Which statement is describing a step incorrectly?



- A. Step a, which consists of defining network domain and policy templates on VSD, must be performed first in all situations.
- B. Step d, which refers to the VRS agent informing the VSC of the placement of a new VM, is triggered by step f in which the VM is instantiated on a hypervisor.
- C. Step b, in which the VSC queries VSD on network service and policies required for a new VM, is triggered either by API calls from the CMS or by manual configuration.



D. Step e, in which the forwarding tables are deployed, consists of the VSC sending them not only to the VRS agent hosting the new VM, but to all applicable VRS agents.

Correct Answer: D

---

## QUESTION 2

What statement is TRUE regarding the security policies provided by Nuage VCS?

- A. The match criteria in security policies can be based on MAC address, IP address and TCP/UDP port number.
- B. Each policy entry has an associated priority that defines the order in which policy entries are evaluated.
- C. Ingress security policy controls the traffic flowing into the virtual machine.
- D. The default ingress security policy allows all traffic to be forwarded.

Correct Answer: A

---

## QUESTION 3

Which of the following interfaces does NOT belong to the underlay network?

- A. Interface on VSD
- B. "Control" interface on VSC
- C. Openflow interface on VSC
- D. Hypervisor interfaces carrying VXLAN traffic.

Correct Answer: B

---

## QUESTION 4

What occurrence is NOT a problem facing a traditional data center network?

- A. High packet loss due to the use of the 3-tier hierarchy.
- B. Sub-optimal traffic flow.
- C. About half of the bandwidth is not used due to links being disabled by STP.
- D. High latency for some applications.

Correct Answer: B

---



Reference: <https://nsl.cs.sfu.ca/teaching/13/880/surveyVirtualization.pdf>

---

#### QUESTION 5

What is NOT a component of VSD?

- A. Neutron
- B. Statistics Engine
- C. Policy Management Engine
- D. RESTful API

Correct Answer: C

Reference:

<https://www.nuagenetworks.net/wp-content/uploads/2020/06/>

PR1507013354EN\_NN\_RedH\_Open\_Hybrid\_Clouds\_PartnerSolutionBrief.pdf

[Latest 4A0-N01 Dumps](#)

[4A0-N01 PDF Dumps](#)

[4A0-N01 VCE Dumps](#)