



# 50-696<sup>Q&As</sup>

Foundations of Novell Open Enterprise Server NetWare

## Pass Novell 50-696 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/50-696.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Novell  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

You're planning to install OES NetWare on an older server which has a Pentium II 266 MHz CPU, 512 MB of RAM, a 10 GB hard disk drive, and a single PCI network board. Will the installation be successful?

- A. Yes, all prerequisite requirements have been met.
- B. No, OES NetWare doesn't support PCI network boards.
- C. No, OES NetWare requires a minimum of 1 gigabyte of RAM.
- D. No, OES NetWare requires a Pentium III 750 MHz or faster CPU.
- E. No, OES NetWare requires that the system have two or more CPUs.

Correct Answer: A

---

### QUESTION 2

Your company has recently hired a number of new technical support engineers. These employees will need access to knowledgebase documents stored on an OES NetWare server volume. They will also need to be able to create new documents and edit existing documents. All the documents will be saved within the KNOWLEDGE directory structure on the SUPPORT volume. Rather than assign file system rights to each individual user object, to which objects could you assign rights to make the process more manageable? (Choose 2.)

- A. Group objects
- B. Alias objects
- C. Server objects
- D. Template objects
- E. Directory Map objects
- F. Organizational Unit objects
- G. Organizational Role objects

Correct Answer: AF

---

### QUESTION 3

Due to some older applications that are still used by your company, you have configured your NetWare server to provide printing services using Queue-Based Printing. When you implemented your printing system, you configured your print queue to be the QUEUES directory on your DATA volume. After several months, you notice that volume DATA frequently runs out of disk space. You discover that print jobs, after they leave the print queue, remain in the file system as deleted files for some time until they are purged.

Which directory attribute could you assign to the QUEUES directory to force print job files to be immediately removed from the system as soon as they are printed?



- A. H
- B. P
- C. Dc
- D. Di
- E. Ic
- F. Sy

Correct Answer: B

---

#### QUESTION 4

Which utility can be used to create an Inherited Rights Filter (IRF) to block eDirectory rights from flowing down the tree? (Choose 2.)

- A. FLAG
- B. NDIR
- C. FILER
- D. iManager
- E. iMonitor
- F. ConsoleOne

Correct Answer: DF

---

#### QUESTION 5

Click the Point and Click button to begin.

Hot Area:



Item 18 of 66

Time Remaining: 1:10:47

Point and Click

Click the Point and Click button to begin.

You have configured the global server policy on your iFolder server such that user data is encrypted as it is transferred between the iFolder client and the iFolder server. You are concerned that users might disable this option and do not want it displayed in the iFolder client. Click the iFolder Management Console option you would use to do this.

Point and Click

iFolder Management

User: admin (Master LDAP)

Global Settings

[General Info](#)  
[Global Policies](#)  
[Admin Names](#)  
[User LDAPs](#)  
[iFolder Servers](#)

Client Policies

Encryption *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Save Password	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Save Pass Phrase	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Recover Pass Phrase *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Automatic Sync	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Sync To Server Delay (sec.)	<input type="text" value="5"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
		Min	Max
		<input type="text" value="3"/>	<input type="text" value="86400"/>
Sync From Server Interval (sec.)	<input type="text" value="20"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
		Min	Max
		<input type="text" value="10"/>	<input type="text" value="86400"/>
Conflict Bin Space (MB)	<input type="text" value="25"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
		Min	Max
		<input type="text" value="0"/>	<input type="text" value="100"/>
iFolder Location *	<input type="text" value="(My Documents)\iFolder\{User Name}\Home"/>		
	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden	

Click Next (or More) to continue.

NextHelp

Correct Answer:



Item 18 of 66

Time Remaining: 1:10:47

Point and Click

Click the Point and Click button to begin.

You have configured the global server policy on your iFolder server such that user data is encrypted as it is transferred between the iFolder client and the iFolder server. You are concerned that users might disable this option and do not want it displayed in the iFolder client. Click the iFolder Management Console option you would use to do this.

Point and Click

iFolder Management

User: admin (Master LDAP)

Global Settings

[General Info](#)  
[Global Policies](#)  
[Admin Names](#)  
[User LDAPs](#)  
[iFolder Servers](#)

Client Policies

Encryption *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input checked="" type="checkbox"/> Hidden
Save Password	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Save Pass Phrase	<input type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Recover Pass Phrase *	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Automatic Sync	<input checked="" type="checkbox"/> On	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
Sync To Server Delay (sec.)	<input type="text" value="5"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
			Min Max
			<input type="text" value="3"/> <input type="text" value="86400"/>
Sync From Server Interval (sec.)	<input type="text" value="20"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
			Min Max
			<input type="text" value="10"/> <input type="text" value="86400"/>
Conflict Bin Space (MB)	<input type="text" value="25"/>	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden
			Min Max
			<input type="text" value="0"/> <input type="text" value="100"/>
iFolder Location *	<input type="text" value="{My Documents}\iFolder\{User Name}\Home"/>		
	<input type="checkbox"/> Enforced	<input type="checkbox"/> Hidden	

Click Next (or More) to continue.

Next

Help

[Latest 50-696 Dumps](#)

[50-696 Study Guide](#)

[50-696 Braindumps](#)