



500-005^{Q&As}

Installing Cisco TelePresence Video Immersive Systems

Pass Cisco 500-005 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-005.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which TX9000 codec will receive image files from the TFTP server?

- A. Cisco TelePresence Touch 12
- B. right (TS3) codec
- C. left (TS2) codec
- D. center (TS1) codec
- E. presentation (TS4) codec

Correct Answer: D

QUESTION 2

If no speed-dial numbers are displayed on the Cisco TelePresence Touch 12 Favorites screen, which of these is the cause?

- A. Numbers need to be added using the Cisco TelePresence Touch 12.
- B. Numbers are not configured in the Exchange Address Book.
- C. Numbers need to be manually added to the Address Book using the Cisco TelePresence Administration GUI.
- D. Numbers are not configured in Cisco Unified Communications Manager.

Correct Answer: D

QUESTION 3

Which two factors are crucial to the immersive Cisco TelePresence experience? (Choose two.)

- A. aesthetics
- B. acoustics
- C. room shape
- D. number of windows
- E. number of active participants
- F. ceiling height



Correct Answer: AB

QUESTION 4

Refer to the exhibit.

```
Host Name      : SEP1CDF0F770258
Date           : Tue Aug 28, 2012 10:18:28
Time Zone      : PDT
Locale         : en_US
Product Ver    : CTS 1.9.1(68) P2
System State   : Run Normal
Boot Slot      : 5
Uptime: 10:18:28 up 1:47, load average: 0.34, 0.25, 0.24

Memory Total: 695780K
  Free:       31940K
  Used:       663840K
  Shared:     0K
  Buffers:    10228K

Disk/Ram      Total      Free      Used
Disk/Ram      435782K  194750K  241032K (56%)
Disk/Logging   347888K  347884K   4K (1%)
Disk/Factory   136552+K 128253K  8299K (6%)
Disk/slot 1    136521K  128217K  8304K (6%)
Disk/slot 2    136521K  128217K  8304K (6%)
```

Which CLI was used to obtain this information?

- A. show device status
- B. show status
- C. show version
- D. show upgrade
- E. show system

Correct Answer: B

QUESTION 5



When using the TX9000 AV expansion box, how many total video output signals can be obtained using a single video input?

- A. one
- B. two
- C. three
- D. four
- E. five
- F. six

Correct Answer: D

[Latest 500-005 Dumps](#)

[500-005 Study Guide](#)

[500-005 Brindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.