

500-171^{Q&As}

Implementing and Administering the FlexPod Solution

Pass Cisco 500-171 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/500-171.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/500-171.html

2021 Latest geekcert 500-171 PDF and VCE dumps Download

QUESTION 1

Which statement is true for Fibre Channel QoS System Class?

- A. One can modify no-drop policy, and non FCoE traffic using natively the same class as FCoE will be remarked to 0
- B. One cannot modify no-drop policy, and non FCoE traffic using natively the same class as FCoE will be remarked to 0
- C. One can modify no-drop policy, and non FCoE traffic using natively the same class as FCoE will not be remarked
- D. One cannot modify no-drop policy, and non FCoE traffic using natively the same class as FCoE will not be remarked

Correct Answer: B

QUESTION 2

Which three are true for UCS 2208XP? (Choose three)

- A. Works with FI 6120 and FI 6296
- B. Supports FCoE
- C. Supports native FC
- D. Has 32 10Gb ports to each half-width slot in the chassis
- E. Supports 4 port port-channel toward FI 6140
- F. Connects to both Fabric Interconnects for high availability

Correct Answer: ABD

QUESTION 3

Which aggregates should be disabled for data aggregates?

- A. Snapshot copies
- B. SnapMirror copies
- C. FCP
- D. iSCSI

Correct Answer: A

QUESTION 4

Which two are correct about VSAN configuration within UCS Manager? (Choose two)



https://www.geekcert.com/500-171.html

2021 Latest geekcert 500-171 PDF and VCE dumps Download

- A. VSAN ID and FCoE VLAN ID have to match
- B. VSAN can be configured as fabric interconnect specific
- C. We can delete VSAN 1
- D. VSAN IDs 3840-4079 are not available regardless of the Fabric Interconnect mode
- E. VSAN can be configured as a global parameter
- F. In addition to SAN tab, VSANs can be configured under UCSM Server tab as well

Correct Answer: BE

QUESTION 5

Which two are required for single-wire management for Cisco UCS C-Series? (Choose two)

- A. UCS Manager 2.1 or higher
- B. VIC 1240
- C. Redundant Nexus 2232PP FEX
- D. 10 GB LOM
- E. FI 6200 family only
- F. VIC 1225

Correct Answer: AF

500-171 VCE Dumps

500-171 Practice Test

500-171 Study Guide

https://www.geekcert.com/500-171.html

2021 Latest geekcert 500-171 PDF and VCE dumps Download

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.