



500-220^{Q&As}

Cisco Meraki Solutions Specialist

Pass Cisco 500-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-220.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Uplink selection

Global preferences

Primary uplink

WAN 1

Load balancing

- ☐ Enabled
Traffic will be spread across both uplinks in the proportions specified above.
Management traffic to the Meraki cloud will use the primary uplink.
- ☒ Disabled
All Internet traffic will use the primary uplink unless overridden by an uplink preference or if the primary uplink fails.

Active-Active AutoVPN

- ☒ Enabled
Create VPN tunnels over all of the available uplinks (primary and secondary).
- ☐ Disabled
Do not create VPN tunnels over the secondary uplink unless the primary uplink fails.

Flow preferences

Internet traffic

There are no uplink preferences for Internet traffic configured on this network.

[Add a preference](#)

SD-WAN policies

VPN traffic

There are no uplink preferences for VPN traffic configured on this network.

[Add a preference](#)

Custom performance
classes

Name	Maximum latency (ms)	Maximum jitter (ms)	Maximum loss (%)	Actions
VoIP	150	(none)	(none)	×

[Create a new custom performance class](#)

Refer to the exhibit. What does the MX Security Appliance send to determine whether VPN traffic exceeds the configured latency threshold in the VoIP custom performance class?

- A. 1000-byte TCP probes every second, through VPN tunnels that are established over the primary WAN link.
- B. 100-byte UDP probes every second, through VPN tunnels that are established over every WAN link.
- C. 100-byte UDP probes every second, through VPN tunnels that are established over the primary WAN link.
- D. 1000-byte TCP probes every second, through VPN tunnels that are established over every WAN link.

Correct Answer: C

QUESTION 2



NETWORK

EMEAR-TRAINER-DEMO

Network-wide

Security & SD-WAN

Switch

Wireless

Cameras

Insight

Organization

SD-WAN & traffic shaping

Uplink configuration

WAN 1

4 Gbps

[details](#)

WAN 2

4 Gbps

[details](#)

Cellular

Unlimited

[details](#)

Uplink statistics

Test connectivity to	Description	Default	Actions
8.8.8.8	Google	<input checked="" type="radio"/>	×

[Add a destination](#)

List update interval

WAN 1

Hourly

▼

WAN 2

Hourly

▼

Cellular

Hourly

▼

[simple](#)

Uplink selection

Global preferences

Primary uplink

WAN 1

▼

Load balancing

☐ Enabled

☒ Disabled

Flow preferences

Internet traffic

There are no uplink preferences for Internet traffic configured on this network.

[Add a preference](#)

Refer to the exhibit. Which two actions are required to optimize load balancing asymmetrically with a 4:1 ratio between links? (Choose two.)

- A. Change the primary uplink to "none".
- B. Add an internet traffic preference that defines the load-balancing ratio as 4:1.
- C. Enable load balancing.
- D. Set the speed of the cellular uplink to zero.
- E. Change the assigned speeds of WAN 1 and WAN 2 so that the ratio is 4:1.

Correct Answer: CE

QUESTION 3



Which Cisco Meraki product must be deployed in addition to Systems Manager so that Systems Manager Sentry enrollment can be used?

- A. MS Switch
- B. Meraki Insight
- C. MR Access Point
- D. MV Smart Camera

Correct Answer: C

Reference: <https://meraki.cisco.com/blog/tag/systems-manager/page/4/>

QUESTION 4

What is the role of the Meraki Dashboard as the service provider when using SAML for single sign-on to the Dashboard?

- A. The Dashboard generates the SAML request.
- B. The Dashboard provides user access credentials.
- C. The Dashboard parses the SAML request and authenticates users.
- D. The Dashboard generates the SAML response.

Correct Answer: A

QUESTION 5

How does a Meraki device behave if cloud connectivity is temporarily lost?

- A. The offline device continues to run with its last known configuration until cloud connectivity is restored.
- B. The offline device reboots every 5 minutes until connection is restored.
- C. The offline device stops passing traffic.
- D. The offline device tries to form a connection with a local backup sever.

Correct Answer: A

Reference: <https://community.meraki.com/t5/Security-SD-WAN/Cloud-Services/td-p/43141>

[Latest 500-220 Dumps](#)

[500-220 Exam Questions](#)

[500-220 Braindumps](#)