



500-220^{Q&As}

Cisco Meraki Solutions Specialist

Pass Cisco 500-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-220.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What happens to an unsupervised iOS device when the "Meraki management" profile is removed?

- A. The "Meraki management" profile is removed. All configuration profiles that Systems Manager pushed remain.
- B. The "Meraki management" profile is removed. All configuration profiles that Systems Manager pushed are also removed.
- C. The "Meraki management" profile is removed and then pushed automatically by Systems Manager.
- D. The "Meraki management" profile cannot be removed.

Correct Answer: B

QUESTION 2

What are two roles of the network and device tags in a Dashboard? (Choose two.)

- A. Tags enable administrators to configure a combination of network and device specific tags to create summary reports filtered for specific devices across multiple networks.
- B. Network tags can be used to assign networks to separate Auto VPN domains in an Organization with many networks.
- C. Network tags can be used to simplify the assignment of network-level permissions in an Organization with many networks.
- D. Device tags can be used to simplify the assignment of device-level permissions in an Organization with many administrators.
- E. Device tags can be assigned to MR APs to influence the gateway selection for repeaters in a mesh wireless network.

Correct Answer: AE

Reference: https://documentation.meraki.com/General_Administration/Organizations_and_Networks/Organization_Menu/Manage_Tags

QUESTION 3



Uplink selection

Global preferences

Primary uplink

WAN 1 ▾

Load balancing

☐ Enabled

Traffic will be spread across both uplinks in the proportions specified above.
Management traffic to the Meraki cloud will use the primary uplink.

☒ Disabled

All Internet traffic will use the primary uplink unless overridden by an uplink preference or if the primary uplink fails.

Active-Active AutoVPN

☒ Enabled

Create VPN tunnels over all of the available uplinks (primary and secondary).

☐ Disabled

Do not create VPN tunnels over the secondary uplink unless the primary uplink fails.

Flow preferences

Internet traffic

There are no uplink preferences for Internet traffic configured on this network.

[Add a preference](#)

SD-WAN policies

VPN traffic

Uplink selection policy

Use the uplink that's best for VoIP traffic.

Prefer WAN 2. Fail over if poor performance for "Conf"

[Add a preference](#)

Traffic filters

All VoIP & video conferencing

WebEx

Actions

+ ×

+ ×

Custom performance
classes ⓘ

Name

Maximum latency (ms)

Maximum jitter (ms)

Maximum loss (%)

Actions

Conf

200

50

5

×

[Create a new custom performance class](#)

Refer to the exhibit. Assuming this MX has established a full tunnel with its VPN peer, how will the MX route the WebEx traffic?

A. WebEx traffic will prefer WAN 2 as long as it meets the thresholds in the "Conf" performance class.

B. WebEx traffic will prefer WAN 1 as it is the primary uplink.

C. WebEx traffic will prefer WAN 2 as long as it is up.

D. WebEx traffic will be load-balanced between both active WAN links.

Correct Answer: A

QUESTION 4

When wireless SSIDs are configured in Dashboard, which setting on the Access Control page affects the ability of a 2.4 GHz only client device from associating to the WLAN for the first time?

A. Content filtering



- B. Bridge mode
- C. 802.11r
- D. Dual band operating with Band Steering

Correct Answer: D

QUESTION 5

Which Meraki Dashboard menu section is accessed to enable Sentry enrollment on an SSID?

- A. Wireless > Configure > Access Control
- B. Wireless > Configure > Splash page
- C. Wireless > Configure > Firewall and Traffic Shaping
- D. Wireless > Configure > SSIDs

Correct Answer: A

Reference: https://documentation.meraki.com/MR/MR_Splash_Page/Systems_Manager_Sentry_Enrollment

[500-220 VCE Dumps](#)

[500-220 Practice Test](#)

[500-220 Study Guide](#)