

500-230^{Q&As}

Cisco Service Provider Routing Field Engineer

Pass Cisco 500-230 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/500-230.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/500-230.html

2024 Latest geekcert 500-230 PDF and VCE dumps Download

QUESTION 1

Which command is similar to the Unix TOP command to display process utilization information?

- A. show
- B. trace processes
- C. show process dynamic
- D. monitor processes

Correct Answer: D

QUESTION 2

One of your peers show in the SHOW BGP VPNV4 UNICAST SUMMARY output What is the cause of this?

- A. The label value ranges are mismatched.
- B. The peer has no prefixes with a Route-Target that the local router is importing.
- C. The BGP prefixes between the routers have not fully converged and will correct itself in time.
- D. The peer router is not configured to use the VPNv4 address-family for this connection.

Correct Answer: D

QUESTION 3

Which command is used to undo a change after issuing a commit command?

- A. router# rollback configuration to -1
- B. router(config# commit undo
- C. router(config)# commit rollback
- D. router# rollback configuration last 1

Correct Answer: D

QUESTION 4

Which command is used to configure an interface that does not currently exist in the system?

- A. interface preconfigure
- B. preconfigure interface



https://www.geekcert.com/500-230.html

2024 Latest geekcert 500-230 PDF and VCE dumps Download

C. interface vrf preconfig

D. controller preconfigure

Correct Answer: A

QUESTION 5

How are labels exchanged between the AS\\'es in an Option B Layer-3 VPN solution?

- A. Via an eBGP multihop connection between the Ingress PE\\'s in each AS.
- B. Via an eBGP multihop connection between a Route-Reflector in each AS.
- C. There are no labels exchanged between the two AS\\'es.
- D. Via an eBGP connection between the directly connected ASBR\\'s, one in each AS.

Correct Answer: D

Latest 500-230 Dumps

500-230 PDF Dumps

500-230 Practice Test