



500-230^{Q&As}

Cisco Service Provider Routing Field Engineer

Pass Cisco 500-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which VRFs must be configured on the ASBRs between the two ASes in an Option B Layer-3 VPN solution?

- A. The VRFs shared between the two ASes plus one VRF representing each AS.
- B. The VRFs shared between the two ASes.
- C. The VRFs shared between the two ASes plus one shared VRF.
- D. The VRFs do not need to be configured on the ASBRs.

Correct Answer: B

QUESTION 2

How frequently does the WDSYMON Watcher thread wake up to check counters?

- A. every 500 msec
- B. every 2 sec
- C. every 200 msec
- D. every 1 sec

Correct Answer: D

QUESTION 3

What priority values do the WDSYMON Ticker and Watcher threads utilize?

- A. Ticker 11, Watcher 254
- B. Ticker 10, Watcher 63
- C. Ticker 11, Watcher 63
- D. Ticker 10, Watcher 254

Correct Answer: C

QUESTION 4

Which statements are true regarding L3VPN configurations?

- A. Prior to configuring a vrf within MP-BGP, the router has to have instantiated the VPNv4 or VPNv6 address-family.
- B. On a single PE router, the Route Distinguisher and the Route Targets must be the same.



- C. Prior to configuring a neighbor in the VPNv4 address-family, it must already be configured for IPv4Unicast.
- D. The import and export Route Targets must be the same on a PE.

Correct Answer: C

QUESTION 5

What command is used to manually generate a core dump to aid in troubleshooting a process?

- A. context
- B. dumpcore
- C. exception
- D. follow

Correct Answer: C

[Latest 500-230 Dumps](#)

[500-230 Practice Test](#)

[500-230 Exam Questions](#)