



500-230^{Q&As}

Cisco Service Provider Routing Field Engineer

Pass Cisco 500-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What priority values do the WDSYSMON Ticker and Watcher threads utilize?

- A. Ticker 11, Watcher 254
- B. Ticker 10, Watcher 63
- C. Ticker 11, Watcher 63
- D. Ticker 10, Watcher 254

Correct Answer: C

QUESTION 2

What BGP address-families are used between the ASBRs in the different ASes in an IPv4 Option C Layer3 VPN solution?

- A. VPNv4 Unicast Only
- B. IPv4 Umcast and VPNv4 Unicast
- C. IPv4 Labeled-Unicast only
- D. IPv4 Unicast and IPv4 Labeled-Unicast

Correct Answer: D

QUESTION 3

How frequently does the WDSYSMON Watcher thread wake up to check counters?

- A. every 500 msec
- B. every 2 sec
- C. every 200 msec
- D. every 1 sec

Correct Answer: D

QUESTION 4

When are core dump files created by the system?

- A. There are too many critical events.



- B. There are too many duplicate messages.
- C. The commit database is full.
- D. A process fails or terminates abnormally.

Correct Answer: D

QUESTION 5

How do you verify the label(s) used between the ASBRs in Option A Inter-AS L3VPN operation?

- A. There are no labels used between the ASBRs
- B. Verify the labels assigned by MP-BGP in the SHOW BGP VPNV4 UNICAST
- C. Verify the labels assigned by MP-BGP in the SHOW CEF VRF output
- D. Verify the labels assigned by LDP in the output of SHOW MPLS FORWARDING

Correct Answer: A

[500-230 Study Guide](#)

[500-230 Exam Questions](#)

[500-230 Braindumps](#)