



500-325^{Q&As}

Cisco Collaboration Servers and Appliances

Pass Cisco 500-325 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-325.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements are true regarding Cisco Expressway-C connector host management connector?

- A. It enables Microsoft Active Directory integration with Cisco Collaboration Cloud.
- B. It enables connectors that are hosted on Expressway Core to be managed by the Cisco Collaboration Cloud.
- C. It enables integration between on-premises calendaring applications, like Microsoft Exchange, and Cisco Collaboration Cloud.
- D. It enables integration between on-premises call processing services and Cisco Collaboration Cloud.

Correct Answer: B

Reference: <https://www.cisco.com/c/en/us/td/docs/solutions/CVD/Collaboration/hybrid/12x/hybcvd/intro.html>

QUESTION 2

Which action does the Calling Service of Cisco Spark Hybrid enable?

- A. Intergrade UCM or HCS with the Cisco Collaboration Cloud.
- B. Launch a meeting.
- C. Schedule a WebEx meeting with an automatically created and associated Spark room.
- D. Synchronize the current Active Directory of a customer with the Cisco Collaboration Cloud.

Correct Answer: A

Reference: <https://www.cisco.com/c/en/us/td/docs/solutions/CVD/Collaboration/hybrid/12x/hybcvd/hcallsvc.pdf>

QUESTION 3

Which option does the Cisco Business Edition 4000 Selfcare Portal enable?

- A. preconfiguration of a customer system prior to shipment
- B. connection of phones to Cisco HCS cloud
- C. management of all Business Edition 4000 sites within an organization
- D. connection of phones to Cisco Spark cloud

Correct Answer: C

QUESTION 4



Which guideline for SAN and NAS storage arrays is true?

- A. Design your deployment in accordance with the Cisco UCS high availability guideline.
- B. Adapters for storage access do not follow hardware rules.
- C. Ethernet ports for LAN access and Ethernet ports for storage may only be separate.
- D. Cisco UC apps use a 24 kilobyte block size to determine bandwidth needs.

Correct Answer: C

Reference: https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/uc_system/virtualization/virtualization-collaboration-storage-design-requirements.html

QUESTION 5

Which result occurs when you power on the CE1100?

- A. The system prompts user for network passwords.
- B. The system requests all license keys.
- C. The system provides a detailed data usage report.
- D. The system performs a self-test and automatically reboots.

Correct Answer: D

Reference: https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/expressway/install_guide/CiscoExpressway-CE1100-Install-Guide-X8-6-1.pdf (p.8)

[500-325 PDF Dumps](#)

[500-325 Study Guide](#)

[500-325 Exam Questions](#)