



500-443^{Q&As}

Advanced Administration and Reporting of Contact Center Enterprise
(CCEAAR)

Pass Cisco 500-443 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-443.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are two mandatory configurations for Mobile Agent to function? (Choose two.)

- A. MTP resource is not a mandatory requirement for SIP trunk, TDM, and CVP Solutions.
- B. LCP DNS as a Route pattern should be created with the destination as CUCM in PCCE SPOG.
- C. LCP DNS as a Route pattern should be created with the destination as CUCM in PCCE SPOG.
- D. Only the LCP port needs to be associated with JTAPI.
- E. Both LCP and RCP ports need to be associated with JTAPI.

Correct Answer: BE

QUESTION 2

Which protocol is used by CVP to communicate to VRU PG?

- A. GED-125
- B. GED-155
- C. GED-12.5
- D. GED-256

Correct Answer: B

QUESTION 3

What are two usages for Call Studio Database lookup? (Choose two.)

- A. Account Type
- B. Play media
- C. Get Digit
- D. Claim Number
- E. Dialtone

Correct Answer: AD



QUESTION 4

What are two use cases of the PCCE Bulk Import Tool? (Choose two.)

- A. changes to an individual outbound dialer record
- B. create API usage for plugins
- C. changes to a Script record
- D. create multiple new Agents
- E. Agent Skill Groups change between shifts

Correct Answer: DE

QUESTION 5

In PCCE 12k, what are two options to manage payloads? (Choose two.)

- A. a custom payload is created during the installation
- B. ECC Variables where Default Payload is the only option and all new ECC Variables are automatically added to the Custom Payload
- C. delete the default payload and rebuild with the same members
- D. ECC Variables where Custom payloads are added and new ECC Variables must be manually assigned to the appropriate payload
- E. a default payload is created during the installation

Correct Answer: AD

[Latest 500-443 Dumps](#)

[500-443 PDF Dumps](#)

[500-443 VCE Dumps](#)