

# 500-451<sup>Q&As</sup>

**Enterprise Networks Specialization** 

# Pass Cisco 500-451 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/500-451.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF GeekCert.com

## https://www.geekcert.com/500-451.html

2024 Latest geekcert 500-451 PDF and VCE dumps Download

#### **QUESTION 1**

When a user gets redirected to the device registration portal, which important information field is prepopulated by ISE?

- A. user\\'s username
- B. user\\'s first and last name
- C. device ID with IP address
- D. device ID with MAC address

Correct Answer: D

#### **QUESTION 2**

Which statement about single SSID wireless BYOD is true?

- A. uses only secure wireless
- B. has a dedicated open SSID for onboarding provisioning
- C. has a separate secure SSID for enhanced security on the network
- D. supports guests and employees and is the preferred method

Correct Answer: A

#### **QUESTION 3**

Which dashboard under Overview in Prime Infrastructure 2.0 do you use to identify authentication failures and client status?

- A. AVC dashboard
- B. Client dashboard
- C. General dashboard
- D. Context Aware dashboard

Correct Answer: B

#### **QUESTION 4**

Cisco ISE uses HTTPS for its Guest Service portals (Guest, Sponsor, WebAuth). What is the default TCP port number?

A. 8443



### https://www.geekcert.com/500-451.html

2024 Latest geekcert 500-451 PDF and VCE dumps Download

B. 8080

C. 443

D. 80

Correct Answer: A

#### **QUESTION 5**

A customer is configuring the IP SLA Embedded Event Manager applet. What is the meaning of this configuration line within the applet: "event track 100 state down"?

- A. Track 100 down state events and create a syslog message when the 100th down state is detected.
- B. The tracking event "100" configured separately is used to detect the down state.
- C. If there is a down state for 100 seconds, trigger the applet actions.
- D. Stop tracking the interface if it flaps more than 100 times.

Correct Answer: B

500-451 PDF Dumps

500-451 Exam Questions

500-451 Braindumps