



# 500-451<sup>Q&As</sup>

Enterprise Networks Specialization

**Pass Cisco 500-451 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-451.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Which feature is used on the Catalyst 6500 Series Switch for real-time traffic capture and decoding?

- A. Lancope Lite
- B. Packet Monitor
- C. Mini Protocol Analyzer
- D. Inline Wireshark module

Correct Answer: C

---

#### QUESTION 2

When the Cisco Catalyst 3850 is configured as a wireless mobility agent, what must be true?

- A. Cisco ISE must be joined to Microsoft AD.
- B. Access points must be connected directly to the Catalyst 3850.
- C. Access points may be connected anywhere in the network.
- D. The mobility controller must be CT5760.

Correct Answer: B

---

#### QUESTION 3

Which three components are part of a Unified Access solution? (Choose three.)

- A. One Policy (Cisco ISE)
- B. One Management (Cisco Prime)
- C. One Network (wired, wireless, VPN access)
- D. One Controller (Converged)
- E. One Solution
- F. One Security

Correct Answer: ABC

---

#### QUESTION 4

A customer wants to dynamically monitor the status of a critical route. Which feature should you recommend that the



customer use?

- A. Wireshark
- B. Embedded Event Manager
- C. IP Service Level Agreement
- D. Generic Online Diagnostics

Correct Answer: C

---

#### QUESTION 5

What is ISE profiling?

- A. a feature used to identify the endpoints based on network data obtained from a number of enabled probes
- B. an ISE function used for applying security templates to endpoints when ISE is integrated with Cisco Prime Infrastructure
- C. a dynamic policy feature that uses a number of enabled probes to apply the correct ACL to roaming wireless endpoints
- D. a form used for self-onboarding of wireless devices

Correct Answer: A

[500-451 PDF Dumps](#)

[500-451 Practice Test](#)

[500-451 Exam Questions](#)