



# 500-601<sup>Q&As</sup>

Application Centric Infrastructure Support Representative

## Pass Cisco 500-601 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-601.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two statements about Cisco ACI interaction with STP in legacy networks are true? (Choose two)

- A. External switches ignore flooded BPDU frames received from the Cisco ACI fabric.
- B. BPDU guard is enabled on FEX ports by default.
- C. BPDU guard cannot be configured on leaf edge ports.
- D. STP is enabled by default within the Cisco ACI fabric.
- E. BPDU frame is flooded within EPG No configuration is required.

Correct Answer: AD

---

### QUESTION 2

A user must upgrade their Cisco ACI Fabric In which order should they upgrade?

- A. It will always be the switches first and the APICs second.
- B. It will always be the APICs first and the switches second.
- C. It will always depend on the specifics of the software release.
- D. It does not matter which you upgrade first (ARC/Switch) or second (APIC/Switch)

Correct Answer: B

---

### QUESTION 3

Which statement about the default MAC address for the distributed gateway in the Cisco ACI Fabric is true?

- A. There is no default MAC address.
- B. A custom MAC address must be configured under each bridge domain.
- C. The default MAC address is 00 11;BD:F9:88:0C.
- D. The default MAC address is 00:22:BD:F8:19:FF.

Correct Answer: B

---

### QUESTION 4

Which command is used to successfully SSH into a Cisco ARC or switch CLI using a remote authentication server?

- A. apic#rad\_check//username@192.168.1.21



B. ssh apic#rad\_check\\username@192.168.1.21

C. ssh apic#ad\_ch?k//username@192.168.1.21

D. ssh apic@rad\_check\\username@192.168.1.21

Correct Answer: C

#### QUESTION 5

Which two statements about when the ARP request/response is not set to flooding on an Cisco ACI Fabric are true? (Choose two.)

A. Static endpoint entries can be configured under the Tenant Networking section of the Cisco ACI UI for silent hosts to communicate with each other.

B. When the ARP originator and ARP target are known to the proxy, forwarding can no longer occur using the proxy because the source and destination are now known

C. When an ARP target device responds, a response is sent to the proxy, which has an entry (or the ARP originator, so it is then forwarded to the leaf where ARP originator resides.

D. When ARP response is known by the proxy, the ARP is forwarded from the leaf that received the ARP to the spine, and onto the leaf where the ARP target resides.

E. The proxy age time has no limit If the target of the ARP has not sourced a frame for some lime, the entry remains indefinite because this i\$ the only way forwarding can work between silent hosts.

Correct Answer: CE

[500-601 PDF Dumps](#)

[500-601 Practice Test](#)

[500-601 Braindumps](#)