

500-710^{Q&As}

Cisco Video Infrastructure Implementation

Pass Cisco 500-710 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/500-710.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/500-710.html

2024 Latest geekcert 500-710 PDF and VCE dumps Download

QUESTION 1

Which statement about the deployment of Cisco Conductor with Cisco Telepresence Server for Rendezvous Conferences is true?

- A. Conductor must be added to the TMS database.
- B. A SIP trunk must be established between Conductor and the TelePresence Server.
- C. A neighbor zone and search rules must be built between the Expressway and the Conductor.
- D. A neighbor zone and search rules must be built between the Expressway and TelePresence Server.

Correct Answer: C

QUESTION 2

Which two options are deployment models for Cisco Spark implementation? (Choose two.)

- A. Spark Cloud
- **B. CMR Premises**
- C. Spark Hybrid
- D. Spark Premises
- E. CMR Cloud
- F. CMR Hybrid

Correct Answer: AC

QUESTION 3

Which TMS configurations must be properly configured for the administrator to be notified remotely when certain events occur?

- A. email settings
- B. general settings
- C. activity status

Correct Answer: B

QUESTION 4

How many simultaneous HD calls can be supported on a Cisco Meeting Server 2000?



https://www.geekcert.com/500-710.html

2024 Latest geekcert 500-710 PDF and VCE dumps Download

A. 25

B. 500

C. 108

D. 96

Correct Answer: B

QUESTION 5

Which two statements about subzones are true? (Choose two.)

- A. Endpointsare assigned to a particular subzone by their alias or IP subnet.
- B. Subzones require the use of endpoint authentication
- C. Subzones are used for routing calls to peers in other parts of the network.
- D. Endpoints require the use of other endpoints for authentication
- E. Subzones are used for bandwidth and authentication control of a logical grouping of endpoints within the registration list of the Expressway

Correct Answer: AE

500-710 PDF Dumps

500-710 Study Guide

500-710 Braindumps