



# 500-710<sup>Q&As</sup>

Cisco Video Infrastructure Implementation

## Pass Cisco 500-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-710.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

As engineer notices that TMS Conference Control Center is not displaying the interface on a scheduler's computer, but it operates properly on the administrator's computer. Which cause is the most likely?

- A. Java must be properly updated and configured on the scheduler's computer.
- B. NET or IS is not set upon the scheduler's computer.
- C. The server domain of the scheduler's computer must be properly configured.
- D. The network has a port blockage.

Correct Answer: A

---

### QUESTION 2

For Business to Business calls, which option must be configured on an Expressway Edge to route calls to an unknown domain?

- A. SIP trunk to a public DNS server
- B. traversal zone to a public DNS address
- C. DNS zone and a public DNS address
- D. neighbor zone to the other business

Correct Answer: C

---

### QUESTION 3

Which description of the role of the conference alias in the Cisco Conductor is true?

- A. It determines the bridge pool to be selected for a conference.
- B. The conference template determines the bridge pool to be selected for a conference.
- C. It is dialed by a user and Conductor uses that alias to determine the conference template.
- D. It selects the Expressway to be used for media traversal.

Correct Answer: C

---

### QUESTION 4

What is the maximum network latency allowed between peers in a cluster?

- A. 30 ms total



- B. 300 ms total
- C. 100 ms one way
- D. 150 ms one-way

Correct Answer: A

---

#### QUESTION 5

An engineer wants to schedule endpoints that are registered to the Cisco UCM to conferences using TMS. Which action is required before endpoints can be scheduled?

- A. The Cisco UCM must have a SIP trunk directed at TMS.
- B. Only endpoints registered to VCS or Expressway can be scheduled in conferences by TMS.
- C. The Cisco UCM must first be added to a folder in TMS Systems > Navigator.
- D. The MAC address of the endpoint must be entered in the System > Manage Dial Plan menu.

Correct Answer: C

[Latest 500-710 Dumps](#)

[500-710 PDF Dumps](#)

[500-710 Exam Questions](#)