



500-901^{Q&As}

Cisco Data Center Unified Computing Infrastructure Design

Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In a USC domain, the Storage role contains storage related privileges, and the Server role contains server related privileges. A user has joined the group that will need to have both Server roles.

What does the UCS administrator need to do in order to accommodate the new user?

- A. Create one user account and assign both roles to that account.
- B. Create two login accounts for the user, one for each role, since an account can only assign one role.
- C. Create one user account and map it to a locale that contains both roles.
- D. Create one user account, but and define two login domains, one for each role.

Correct Answer: A

QUESTION 2

Which additional three traffic egress controls may be enabled in Cisco UCS Manager depending upon the network adapter selected? (Choose three.)

- A. Rate
- B. Best Effort
- C. Host Control
- D. Peak
- E. Burst
- F. Smooth

Correct Answer: BCE

QUESTION 3

What are the RAID levels available in the mode drop-down list of the Local Storage Policy?

- A. RAID 0, 1, 5, 10
- B. RAID 0, 1, 3, 5
- C. RAID 0, 1, 5, 6, 50, 60
- D. RAID 0, 1, 5, 6, 10
- E. RAID 0, 1, 5, 10. 50

Correct Answer: C



QUESTION 4

When can you use UCS Director to provision Service Profile template?

- A. For initial Service Profile template
- B. Always
- C. Never
- D. Only for updating Service Profile template

Correct Answer: A

QUESTION 5

You are creating a Boot Policy to have your Cisco UCS Server boot from SAN. What option shows the correct process?

- A. Include a vHBA in the Boot Order list, provide a Boot LUN ID, and Provide the WWPN address for the Boot Target
- B. Include a vHBA in the Boot Order list, provide a SAN ID, and provide the WWPN address for the Boot Target
- C. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a Boot LUN ID for each vHBA, and provide the WWPN address for the Boot Target
- D. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a SAN ID, and provide the WWPN address for the Boot Target

Correct Answer: A

[Latest 500-901 Dumps](#)

[500-901 Exam Questions](#)

[500-901 Braindumps](#)