



500-901^{Q&As}

Cisco Data Center Unified Computing Infrastructure Design

Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An application is running in a data center as a set of virtual machines running on a single physical host. The host is using an NPIV enabled HBA.

What capability does this offer?

- A. Only the physical host can logically connect to the SAN fabric, thus enhancing security.
- B. The number of FIOGIs is kept at a reasonable level, and therefore cannot saturate the SAN fabric.
- C. Inter VSAN traffic can be switched directly by the HBA.
- D. Each VM initiator can be managed independently, since it will generate its own FLOGI, and have its own pWWN.

Correct Answer: D

QUESTION 2

Which primary functions are provided by VSANs?

- A. Independent fabric services per VSAN and zoning
- B. Software-based isolation of traffic and independent fabric services per VSAN
- C. Hardware-based isolation of traffic and independent fabric services per VSAN
- D. Specific driver configuration and FSPF routing

Correct Answer: A

QUESTION 3

In a USC domain, the Storage role contains storage related privileges, and the Server role contains server related privileges. A user has joined the group that will need to have both Server roles.

What does the UCS administrator need to do in order to accommodate the new user?

- A. Create one user account and assign both roles to that account.
- B. Create two login accounts for the user, one for each role, since an account can only assign one role.
- C. Create one user account and map it to a locale that contains both roles.
- D. Create one user account, but and define two login domains, one for each role.

Correct Answer: A

QUESTION 4



Which additional three traffic egress controls may be enabled in Cisco UCS Manager depending upon the network adapter selected? (Choose three.)

- A. Rate
- B. Best Effort
- C. Host Control
- D. Peak
- E. Burst
- F. Smooth

Correct Answer: BCE

QUESTION 5

Which Cisco UCS core element maintains the UCS XML database?

- A. Cisco Finite State Machine
- B. Cisco Data Management Engine
- C. Cisco UCS Manager
- D. Cisco Application Gateways

Correct Answer: C

[Latest 500-901 Dumps](#)

[500-901 Study Guide](#)

[500-901 Braindumps](#)