



500-901^{Q&As}

Cisco Data Center Unified Computing Infrastructure Design

Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which three scalability options are applicable to Cisco HyperFlex? (Choose three.)

- A. Add additional hyperconverged nodes to expand both storage capacity and compute resources
- B. Add compute-only nodes to expand compute resources without adding additional storage capacity
- C. Add memory-only nodes to expand memory resources without adding storage capacity
- D. Add network cards to increase IO without adding node capacity
- E. Add additional storage to existing nodes to efficiently expand storage capacity without adding compute resources
- F. Add clusters to improve overall system performance and manage with UCS Central

Correct Answer: ABF

QUESTION 2

What condition requires Inter VSAN Routing (IVR)?

- A. The targets are in the same Initiator Group.
- B. When the path between source and destination edge VSANs require the traffic to pass through several VSANs before reaching the destination.
- C. When using MDS 9000 series SAN Directors.
- D. Transit VSANs are integral to the IVR architecture and are always required.

Correct Answer: B

QUESTION 3

In a USC domain, the Storage role contains storage related privileges, and the Server role contains server related privileges. A user has joined the group that will need to have both Server roles.

What does the UCS administrator need to do in order to accommodate the new user?

- A. Create one user account and assign both roles to that account.
- B. Create two login accounts for the user, one for each role, since an account can only assign one role.
- C. Create one user account and map it to a locale that contains both roles.
- D. Create one user account, but and define two login domains, one for each role.

Correct Answer: A



QUESTION 4

In the context of Cisco's unified Computing System, which three Cisco best practices are recommended when creating WWN pools? (Choose three.)

- A. All WWN must use "20" for the first octet
- B. Define a standard convention for WWNs agreed upon by all stakeholders for address blocks
- C. Select the default values presented by UCS Central
- D. Use Cisco's OUI (00:25:B5) for the 3rd to 5th octets in WWN
- E. Use the same hex value for 1st and 2nd octets in WWNN and WWPNN
- F. Engage the security team to request WWNs

Correct Answer: ADE

QUESTION 5

What is contained in Service Profiles?

- A. Management and server configurations
- B. Identity and state information for a logical server
- C. Application specific service requirements
- D. State information for a physical server

Correct Answer: B

[500-901 PDF Dumps](#)

[500-901 VCE Dumps](#)

[500-901 Practice Test](#)