

500-901^{Q&As}

Cisco Data Center Unified Computing Infrastructure Design

Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/500-901.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/500-901.html

2024 Latest geekcert 500-901 PDF and VCE dumps Download

QUESTION 1

Which three options can a virtual switch do? (Choose three.)

- A. VLAN tagging is done in UCS Manager
- B. Virtual Machines with a trunk port imposes the VLAN tag
- C. Impose the VLAN tag allocation
- D. Set IP Class-of-Service bits
- E. Allow physical switch to impose the VLAN tag

Correct Answer: ABD

QUESTION 2

What condition requires Inter VSAN Routing (IVR)?

- A. The targets are in the same Initiator Group.
- B. When the path between source and destination edge VSANs require the traffic to pass through several VSANs before reaching the destination.
- C. When using MDS 9000 series SAN Directors.
- D. Transit VSANs are integral to the IVR architecture and are always required.

Correct Answer: B

QUESTION 3

How many QoS classes are available to administrators on Cisco\\'s UCS server?

- A. 6
- B. 4
- C. 2
- D. 8

Correct Answer: A

QUESTION 4

ACME technologies is deploying a large number of similar UCS blade servers and want to be able to change servers policies at a later time on all blades.



https://www.geekcert.com/500-901.html

2024 Latest geekcert 500-901 PDF and VCE dumps Download

What type of the Cisco UCS design is recommended?

- A. Initial template based service profiles
- B. Updating template based service profile
- C. Updating non-template based service profiles
- D. Initial non-template based service profiles

Correct Answer: B

QUESTION 5

What is a Universally Unique Identifier in the context of Cisco Unified Computing System?

- A. A unique identifier used to identify an object or entity on the internet.
- B. A unique identifier used in server profiles enabling server mobility.
- C. A unique identifier used in application profiles enabling server mobility.
- D. A unique identifier used in service profiles enabling server mobility.

Correct Answer: D

500-901 PDF Dumps

500-901 VCE Dumps

500-901 Braindumps