



500-920^{Q&As}

Cisco Data Center Unified Computing Infrastructure Troubleshooting
(DCITUC)

Pass Cisco 500-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The UCS Chassis Discovery Policy has been set to four and a new chassis is connected with two links What is the resulting chassis recognition action?

- A. The chassis will not be recognized
- B. The Chassis Discovery Policy will automatically reset to two links, since it always tracks the physical connections
- C. The chassis will be recognized and both links will be active
- D. The chassis will be recognized but only one of the links will be active.

Correct Answer: A

QUESTION 2

Which two formats can be configured for Cisco's Call Home email message? (Choose two)

- A. JSON
- B. CSV
- C. Full text
- D. XML

Correct Answer: CD

<http://www.audentia-gestion.fr/cisco/smart-call-home-feature-guide-1611.pdf>

Call Home Message Formats The Call Home feature offers the following message formats:

Short Text -- Suitable for pagers or printed reports.

Plain Text -- Full formatted message information suitable for human reading.

XML -- Matching readable format using Extensible Markup Language (XML) and Adaptive Markup Language (AML) document type definitions (DTDs).

The XML format enables communication with the Cisco TAC. For user- defined destination profiles, the format options are long-text, short-text, or XML. The default is XML. For the predefined Cisco TAC profile, only XML is allowed.

QUESTION 3

Which two interfaces allow access to Cisco UCS Manager? (Choose two)



- A. Cisco KVM
- B. Cisco UCS Manager XML API
- C. Cisco IMC
- D. Cisco UCS Manager GUI

Correct Answer: BD

QUESTION 4

Which statement is true regarding the UCS Manager GUI is showing "Overall Status Unassociated" in the General tab for a C-series server?

- A. The server has a service profile assigned, but has connectivity issues with UCS Manager
- B. The server is not properly connected
- C. The server does not have a service profile assigned, but has been discovered by UCS Manager
- D. The server has been properly connected, but has not been discovered by UCS Manager

Correct Answer: B

QUESTION 5

A Hard Drive (HDD) has been hot swapped in a UCS server blade, however, the UCS Manager GUI is not displaying updated metrics about the replacement drive. What action will be required to properly display updated metrics?

- A. Remove and re-insert the server blade HDD controller mezzanine card
- B. Reboot the Fabric Interconnects
- C. Reboot the server.
- D. Use the CLI, since HDD metrics cannot be displayed with the UCS Manager GUI

Correct Answer: A

[Latest 500-920 Dumps](#)

[500-920 Study Guide](#)

[500-920 Braindumps](#)