



500-920^{Q&As}

Cisco Data Center Unified Computing Infrastructure Troubleshooting
(DCITUC)

Pass Cisco 500-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/500-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When configuring UCS SAN Connectivity to a 3rd Party FibreChannel Storage Array that is connecting directly to the UCS Fabric Interconnects, which option is Cisco recommended\?

- A. Connect the Storage Array to a RC Storage Port and Enable NPV Mode on the UCS Fabric Interconnects
- B. Connect the Storage Array to an Appliance Port and Enable NPV Mode on the UCS Fabric Interconnects
- C. Direct connectivity between UCS Fabric Interconnects and FibreChannel Storage Arrays is not supported
- D. Connect the Storage Array to a FC Storage Port and Enable Switching Mode on the UCS Fabric Interconnects
- E. Connect the Storage Array to an Appliance Port and Enable Switching Mode on the UCS Fabric Interconnects

Correct Answer: D

QUESTION 2

Which two interfaces allow access to Cisco UCS Manager? (Choose two)

- A. Cisco KVM
- B. Cisco UCS Manager XML API
- C. Cisco IMC
- D. Cisco UCS Manager GUI

Correct Answer: BD

QUESTION 3

When server is booting from SAN, which command verifies the PLOGI sessions with the target?

- A. Lunmap
- B. Lunlist
- C. FCMap
- D. FClist

Correct Answer: B

QUESTION 4

What occurs that causes a Split Brain Issue with Fabric Interconnects?



-
- A. The subordinate Fabric Interconnect detects heartbeat failure and declares itself primary
 - B. Manage configuration changes made with UCS Manager
 - C. A quorum tie occurs that must be resolved by the SEEPROM
 - D. Both cluster links fail

Correct Answer: A

QUESTION 5

If a Cisco UCS B-Series server fails to initialize, which method of access is required to troubleshoot?

- A. Use direct console access to troubleshoot initialization
- B. Use Cisco UCS Manager GUI to troubleshoot initialization
- C. Use Cisco UCS Manager API to troubleshoot initialization
- D. Use KVM console to troubleshoot initialization

Correct Answer: D

[500-920 PDF Dumps](#)

[500-920 Study Guide](#)

[500-920 Exam Questions](#)