



501-01^{Q&As}

Riverbed Certified Solutions Associate – Hyper-converged Branch

Pass Riverbed 501-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/501-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What RAID protection level is supported on Whitewater appliance?

- A. RAID-1
- B. RAID-5
- C. RAID-6
- D. RAID-10

Correct Answer: C

QUESTION 2

What is the maximum number of bytes recommended for iSCSI traffic for jumbo frames in the Granite Core configuration due to performance restrictions?

- A. 1500
- B. 1600
- C. 4000
- D. 8000
- E. 9000

Correct Answer: E

QUESTION 3

The term for "fixing" a LUN's blocks in blockstore so that they may not be ejected via LRU is:

- A. Pinning
- B. Prepop
- C. Snapshot
- D. Online

Correct Answer: A

QUESTION 4

Which console connection configuration below is correct in order to communicate with the Whitewater appliance after the initial boot up?




- A. Baud rate: 9600 bps, data bits: 8, parity: none, stop bits: 1, vt100 emulation, no flow control.
- B. Baud rate: 9600 bps, data bits: 8, parity: odd, stop bits: 1, vt100 emulation, no flow control.
- C. Baud rate: 9600 bps, data bits: 8, parity: none, stop bits: 1, vt100 emulation, Xon/Xoff flow control.
- D. Baud rate: 9600 bps, data bits: 16, parity: none, stop bits: 1, vt100 emulation, no flow control.
- E. Baud rate: 9600 bps, data bits: 8, parity: none, stop bits: 1, vt400 emulation, no flow control.

Correct Answer: A

QUESTION 5

-- Exhibit



-- Exhibit -Refer to the exhibit. Which interface should be used for the Granite Edge connection?

- A. Aux Port
- B. Eth0_1
- C. Eth0_2
- D. Primary Port
- E. Eth0_3

Correct Answer: D