



510-022^{Q&As}

Sybase adaptive server Enterprise administrator professional

Pass Sybase 510-022 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/510-022.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Sybase
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When should dbcc reindex be used?

- A. After the sort order in ASE has been changed
- B. When a new language has been installed in ASE.
- C. When corruptions have been found in text/image page chains.
- D. When corruptions have been found in indexes on system tables.

Correct Answer: A

QUESTION 2

Which of the following statements about update statistics behavior are true in ASE ? (Choose 2)

- A. Using sampled statistics can improve the concurrency of update statistics
- B. Using sampled statistics can improve the accuracy of statistics
- C. Using sampled statistics can improve the response time of update statistics
- D. Using statistics can be run on a subset of data, expressed as a percentage
- E. Using statistics can be run on a subset of data, expressed as a number of rows

Correct Answer: CD

QUESTION 3

If a user-defined tempdb is unavailable at login the user will be placed in the system tempdb if ?

- A. The binding was created using the soft option.
- B. The binding was created using the hard option.
- C. User tempdb belongs to a group.
- D. The system tempdb is over 1 GB in size.

Correct Answer: A

QUESTION 4

Which of the following factors affect whether ASE will use large i/o when reading a table? (Choose 3)

- A. How well the pages of the tables fill its extents.



- B. Whether ASE has been built with a page size greater than 2kb
- C. The current data cache hit rate in the cache to which the table is bound.
- D. How well the logical clustering of the table matches its physical clustering.
- E. At least one large I/O pool is configured in the cache to which the table is bound.
- F. At least two large I/O pools are configured in the cache to which the table is bound.

Correct Answer: ADE

QUESTION 5

When performance suffers due to spinlock contention on a named cache, the SA can

- A. Create a large I/O pool.
- B. Partition the cache.
- C. Use MRU replacement.
- D. Expand metadata caches.

Correct Answer: B

[Latest 510-022 Dumps](#)

[510-022 PDF Dumps](#)

[510-022 Brindumps](#)