



599-01^{Q&As}

Riverbed Certified Solutions Professional - Storage Delivery Exam

Pass Riverbed 599-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/599-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are the default ports used between the Granite Edge and Granite Core on a Steelhead EX platform?

- A. 7150-7154, 7170
- B. 7950-7954, 7970
- C. Granite uses the same default ports as the Steelhead WAN Optimization
- D. 7750-7754, 7770
- E. 7050-7050, 7070

Correct Answer: B

QUESTION 2

If performing a disaster recovery (DR) test, what commands and in what order do they need to be run?

Select and Place:

Tokens

configure terminal

show service

replication recovery enable

service enable

no service enable

enable

datastore format local

Drop Here

Correct Answer:

Tokens

Drop Here

no service enable
datastore format local
replication recovery enable
service enable
enable
show service
configure terminal

QUESTION 3

What is the port range for block reads on an optimized Granite Edge appliance to core connection(s)?

- A. 7952-7954
- B. 7950-7954
- C. 7954-7970
- D. 8000-8080

Correct Answer: A

QUESTION 4

From the list below, identify the 3 needed steps (in order) to configure peer monitoring for Whitewater appliance:

Select and Place:



Create a REST API code on the Whitewater system to be monitored

Enable REST API access on the Whitewater system that will act as the monitor peer

Create a REST API code on the Whitewater system that will act as the monitor peer

Enter the API code of the monitored Whitewater system to the Whitewater system that will act

Enable REST API access on the Whitewater system to be monitored

Steps to configure Peer Monitoring

Step 1

Step 2

Step 3

Correct Answer:

Enable REST API access on the Whitewater system that will act as the monitor peer

Create a REST API code on the Whitewater system that will act as the monitor peer

Steps to configure Peer Monitoring

Step 1

Create a REST API code on the Whitewater system to be monitored

Step 2

Enter the API code of the monitored Whitewater system to the Whitewater system that will act

Step 3

Enable REST API access on the Whitewater system to be monitored

QUESTION 5

What RAID protection level is supported on Whitewater appliance?

A. RAID-1

B. RAID-5



C. RAID-6

D. RAID-10

Correct Answer: C

[599-01 VCE Dumps](#)

[599-01 Exam Questions](#)

[599-01 Braindumps](#)