



# 5V0-21.19<sup>Q&As</sup>

VMware vSAN 6.7 Specialist Exam 2019

**Pass VMware 5V0-21.19 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-21-19.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

You are designing a vSAN stretched cluster solution.

What is the maximum number of nodes possible for this solution?

- A. 15 per data site + 1 witness host
- B. 30 per data site + 1 witness host
- C. 32 per data site + 1 witness host
- D. 64 per data site + 1 witness host

Correct Answer: B

Reference: <https://storagehub.vmware.com/t/vmware-vsan/vmware-vsan-6-7-technical-overview/clustertypes-3/>

---

### QUESTION 2

What is the minimum recovery point objective (RPO) that can be achieved using vSphere Replication with vSAN?

- A. 5 minutes
- B. 15 minutes
- C. 30 minutes
- D. 60 minutes

Correct Answer: A

Reference: <https://docs.vmware.com/en/vSphere-Replication/8.1/com.vmware.vsphere.replicationadmin.doc/GUID-9E17D567-A947-49CD-8A84-8EA2D676B55A.html>

---

### QUESTION 3

In a vSAN Stretched Cluster configuration, when is the non-preferred site determined to be isolated?

- A. When the master node is unable to communicate with any non-preferred site nodes
- B. When the nodes in the non-preferred site are unable to communicate with the vSAN Witness
- C. When the backup node is unable to communicate with the preferred site
- D. When the master node is unable to communicate with the backup node

Correct Answer: B

---



#### QUESTION 4

End-users are complaining that an application running on an all-flash vSAN datastore is not performing well.

Which performance chart should an administrator view to troubleshoot this issue?

- A. Recovery Write IOPS
- B. Resync Latency
- C. Read Cache Read IOPS
- D. Write Buffer Free Percentage

Correct Answer: C

Reference: <https://docs.vmware.com/en/VMware-vSphere/6.7/vsan-673-monitoring-troubleshootingguide.pdf>

---

#### QUESTION 5

The objects on a 4-node vSAN cluster are assigned a RAID-5 policy. A network outage occurs causing host one to lose connectivity with the rest of the cluster. Seventy-five minutes elapse.

What is the health state of the objects?

- A. Reduced availability with no rebuild
- B. Reduced availability with no rebuild ?delay timer
- C. Non-availability related incompliance [non-compliance]
- D. Reduced availability

Correct Answer: D

[Latest 5V0-21.19 Dumps](#)

[5V0-21.19 Study Guide](#)

[5V0-21.19 Exam Questions](#)