



5V0-21.19^{Q&As}

VMware vSAN 6.7 Specialist Exam 2019

Pass VMware 5V0-21.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/5v0-21-19.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

vSAN is configured with a storage policy with a Failures To Tolerate (FTT) set to three. Which type of redundancy is being used?

- A. RAID-0 (Striping)
- B. RAID-1 (Mirroring)
- C. RAID-6 (Erasure Coding)
- D. RAID-5 (Erasure Coding)

Correct Answer: B

Reference: https://www.sbarjatiya.com/notes_wiki/index.php/About_VSAN_6.6

QUESTION 2

In a vSAN Stretched Cluster configuration, when is the non-preferred site determined to be isolated?

- A. When the master node is unable to communicate with any non-preferred site nodes
- B. When the nodes in the non-preferred site are unable to communicate with the vSAN Witness
- C. When the backup node is unable to communicate with the preferred site
- D. When the master node is unable to communicate with the backup node

Correct Answer: B

QUESTION 3

A vSAN administrator is designing a new all-flash vSAN cluster. The cluster will host read intensive applications.

Which factor should be included in the design to improve read performance?

- A. Multiple disk groups
- B. Large capacity disks
- C. Large cache disks D. Large controller cache

Correct Answer: B

Reference: <https://vsan-essentials.gitbooks.io/vsan-6-2/content/chapter4.html>



QUESTION 4

A virtual machine is unable to access one of its virtual disks.

Which vSAN Health check should an administrator view to troubleshoot the issue?

- A. Data > vSAN Object Health
- B. Cluster > vSAN CLOMD Liveness
- C. Cluster > Disk Format Version
- D. Limits > vSAN Component Limit

Correct Answer: A

QUESTION 5

A system administrator running a 6-node cluster is trying to enable the deduplication and compression feature. During the process of switching it on, the General vSAN error occurs.

What is the possible reason the General vSAN error occurred?

- A. Force provisioning setting is required.
- B. The cluster is a hybrid environment.
- C. Storage policies require FTT=1.
- D. The cluster is an all-flash environment.

Correct Answer: B

Reference: <http://www.optiodata.com/documents/optio/datasheets/dell-emc-vxrail-appliance-techbook.pdf>

[5V0-21.19 VCE Dumps](#)

[5V0-21.19 Study Guide](#)

[5V0-21.19 Exam Questions](#)